

Datasheet for ABIN7546001 ST6GALNAC4 Protein (AA 1-302) (His tag)



Overview

Quantity:	1 mg
Target:	ST6GALNAC4
Protein Characteristics:	AA 1-302
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ST6GALNAC4 protein is labelled with His tag.

Product Details

Froduct Details	
Purpose:	Custom-made recombinant ST6GALNAC4 Protein expressed in mammalian cells.
Sequence:	MKAPGRLVLI ILCSVVFSAV YILLCCWAGL PLCLATCLDH HFPTGSRPTV PGPLHFSGYS
	SVPDGKPLVR EPCRSCAVVS SSGQMLGSGL GAEIDSAECV FRMNQAPTVG FEADVGQRST
	LRVVSHTSVP LLLRNYSHYF QKARDTLYMV WGQGRHMDRV LGGRTYRTLL QLTRMYPGLQ
	VYTFTERMMA YCDQIFQDET GKNRRQSGSF LSTGWFTMIL ALELCEEIVV YGMVSDSYCR
	EKSHPSVPYH YFEKGRLDEC QMYLAHEQAP RSAHRFITEK AVFSRWAKKR PIVFAHPSWR TE
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Alternative Name: ST6GALNAC4 (ST6GALNAC4 Products) Alpha-N-acetyl-neuraminyl-2,3-beta-galactosyl-1,3-N-acetyl-galactosaminide alpha-2,6-sialyltransferase (EC 2.4.3.7) (NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc-alpha-2,6-sialyltransfera (ST6GalNAc IV) (ST6GalNAcIV) (Sialyltransferase 3C) (SIAT3-C) (Sialyltransferase 7D) (SIAT D),FUNCTION: Transfers the sialyl group (N-acetyl-alpha-neuraminyl or NeuAc) from CMP-NeuAc to the GalNAc residue on the NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc sequence of glycoproteins and glycolipids forming an alpha-2,6-linkage. Produces branched type disialyl structures by transfer of a sialyl group onto a GalNAc residue inside the backbone core chair Prefers O-glycans to glycoproteins or glycolipids. {ECO:0000250 UniProtKB:Q9R2B6}. Molecular Weight: 34.2 kDa UniProt: Q9H4F1
sialyltransferase (EC 2.4.3.7) (NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc-alpha-2,6-sialyltransfera (ST6GalNAc IV) (ST6GalNAcIV) (Sialyltransferase 3C) (SIAT3-C) (Sialyltransferase 7D) (SIAT7-D),FUNCTION: Transfers the sialyl group (N-acetyl-alpha-neuraminyl or NeuAc) from CMP-NeuAc to the GalNAc residue on the NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc sequence of glycoproteins and glycolipids forming an alpha-2,6-linkage. Produces branched type disialyl structures by transfer of a sialyl group onto a GalNAc residue inside the backbone core chair Prefers O-glycans to glycoproteins or glycolipids. {ECO:0000250 UniProtKB:Q9R2B6}. Molecular Weight: 34.2 kDa
(ST6GalNAc IV) (ST6GalNAcIV) (Sialyltransferase 3C) (SIAT3-C) (Sialyltransferase 7D) (Sialyltransferase
D),FUNCTION: Transfers the sialyl group (N-acetyl-alpha-neuraminyl or NeuAc) from CMP-NeuAc to the GalNAc residue on the NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc sequence of glycoproteins and glycolipids forming an alpha-2,6-linkage. Produces branched type disialyl structures by transfer of a sialyl group onto a GalNAc residue inside the backbone core chair Prefers O-glycans to glycoproteins or glycolipids. {ECO:0000250 UniProtKB:Q9R2B6}. Molecular Weight: 34.2 kDa
NeuAc to the GalNAc residue on the NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc sequence of glycoproteins and glycolipids forming an alpha-2,6-linkage. Produces branched type disialyl structures by transfer of a sialyl group onto a GalNAc residue inside the backbone core chair Prefers O-glycans to glycoproteins or glycolipids. {ECO:0000250 UniProtKB:Q9R2B6}. Molecular Weight: 34.2 kDa
glycoproteins and glycolipids forming an alpha-2,6-linkage. Produces branched type disialyl structures by transfer of a sialyl group onto a GalNAc residue inside the backbone core chair Prefers O-glycans to glycoproteins or glycolipids. {ECO:0000250 UniProtKB:Q9R2B6}. Molecular Weight: 34.2 kDa
structures by transfer of a sialyl group onto a GalNAc residue inside the backbone core chair Prefers O-glycans to glycoproteins or glycolipids. {ECO:0000250 UniProtKB:Q9R2B6}. Molecular Weight: 34.2 kDa
Prefers O-glycans to glycoproteins or glycolipids. {ECO:0000250 UniProtKB:Q9R2B6}. Molecular Weight: 34.2 kDa
Molecular Weight: 34.2 kDa
HniDrot: OOLIAE1
UniProt: Q9H4F1
Application Dataile

Application Details

Application Notes:

We expect the protein to work for functional studies. As the protein has not been tested for

Application Details

	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months