

Datasheet for ABIN7546368 STAP2 Protein (AA 1-403) (His tag)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	1 mg
Target:	STAP2
Protein Characteristics:	AA 1-403
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This STAP2 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant STAP2 Protein expressed in mammalian cells.
Sequence:	MASALRPPRV PKPKGVLPSH YYESFLEKKG PCDRDYKKFW AGLQGLTIYF YNSNRDFQHV
	EKLNLGAFEK LTDEIPWGSS RDPGTHFSLI LRDQEIKFKV ETLECREMWK GFILTVVELR
	VPTDLTLLPG HLYMMSEVLA KEEARRALET PSCFLKVSRL EAQLLLERYP ECGNLLLRPS
	GDGADGVSVT TRQMHNGTHV VRHYKVKREG PKYVIDVEQP FSCTSLDAVV NYFVSHTKKA
	LVPFLLDEDY EKVLGYVEAD KENGENVWVA PSAPGPGPAP CTGGPKPLSP ASSQDKLPPL
	PPLPNQEENY VTPIGDGPAV DYENQDVASS SWPVILKPKK LPKPPAKLPK PPVGPKPEPK
	VFNGGLGRKL PVSSAQPLFP TAGLADMTAE LQKKLEKRRA LEH Sequence without tag. The
	proposed Purification-Tag is based on experiences with the expression system, a different
	complexity of the protein could make another tag necessary. In case you have a special
	request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.

Product Details

Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
- Target Details	
Target:	STAP2
	STAP2 STAP2 (STAP2 Products)
Target:	
Target: Alternative Name:	STAP2 (STAP2 Products) Signal-transducing adaptor protein 2 (STAP-2) (Breast tumor kinase substrate) (BRK substrate), FUNCTION: Substrate of protein kinase PTK6. May play a regulatory role in the acute-phase response in systemic inflammation and may modulate STAT3 activity.
Target: Alternative Name: Background:	STAP2 (STAP2 Products) Signal-transducing adaptor protein 2 (STAP-2) (Breast tumor kinase substrate) (BRK substrate), FUNCTION: Substrate of protein kinase PTK6. May play a regulatory role in the acute-phase response in systemic inflammation and may modulate STAT3 activity. {ECO:0000269 PubMed:10980601}.
Target: Alternative Name: Background: Molecular Weight:	STAP2 (STAP2 Products) Signal-transducing adaptor protein 2 (STAP-2) (Breast tumor kinase substrate) (BRK substrate), FUNCTION: Substrate of protein kinase PTK6. May play a regulatory role in the acute-phase response in systemic inflammation and may modulate STAT3 activity. {ECO:0000269 PubMed:10980601}.
Target: Alternative Name: Background: Molecular Weight: UniProt:	STAP2 (STAP2 Products) Signal-transducing adaptor protein 2 (STAP-2) (Breast tumor kinase substrate) (BRK substrate), FUNCTION: Substrate of protein kinase PTK6. May play a regulatory role in the acute-phase response in systemic inflammation and may modulate STAT3 activity. {ECO:0000269 PubMed:10980601}.
Target: Alternative Name: Background: Molecular Weight: UniProt: Application Details	STAP2 (STAP2 Products) Signal-transducing adaptor protein 2 (STAP-2) (Breast tumor kinase substrate) (BRK substrate), FUNCTION: Substrate of protein kinase PTK6. May play a regulatory role in the acute-phase response in systemic inflammation and may modulate STAT3 activity. (ECO:0000269 PubMed:10980601}. 44.9 kDa Q9UGK3

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months