

Datasheet for ABIN7546500 **CLEC7A Protein (AA 1-247) (His tag)**



Overview

Quantity:	1 mg
Target:	CLEC7A
Protein Characteristics:	AA 1-247
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CLEC7A protein is labelled with His tag.

Product Details

Product Details	
Purpose:	Custom-made recombinant CLEC7A Protein expressed in mammalian cells.
Sequence:	MEYHPDLENL DEDGYTQLHF DSQSNTRIAV VSEKGSCAAS PPWRLIAVIL GILCLVILVI
	AVVLGTMAIW RSNSGSNTLE NGYFLSRNKE NHSQPTQSSL EDSVTPTKAV KTTGVLSSPC
	PPNWIIYEKS CYLFSMSLNS WDGSKRQCWQ LGSNLLKIDS SNELGFIVKQ VSSQPDNSFW
	IGLSRPQTEV PWLWEDGSTF SSNLFQIRTT ATQENPSPNC VWIHVSVIYD QLCSVPSYSI
	CEKKFSM Sequence without tag. The proposed Purification-Tag is based on experiences
	with the expression system, a different complexity of the protein could make another tag
	necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Alternative Name: CLEC7A (CLEC7A Products)

Background:

C-type lectin domain family 7 member A (Beta-glucan receptor) (C-type lectin superfamily member 12) (Dendritic cell-associated C-type lectin 1) (DC-associated C-type lectin 1) (Dectin-1) (CD antigen CD369),FUNCTION: Lectin that functions as a pattern recognizing receptor (PRR) specific for beta-1,3-linked and beta-1,6-linked glucans, which constitute cell wall constituents from pathogenic bacteria and fungi (PubMed:11567029, PubMed:12423684). Necessary for the TLR2-mediated inflammatory response and activation of NF-kappa-B: upon beta-glucan binding, recruits SYK via its ITAM motif and promotes a signaling cascade that activates some CARD domain-BCL10-MALT1 (CBM) signalosomes, leading to the activation of NF-kappa-B and MAP kinase p38 (MAPK11, MAPK12, MAPK13 and/or MAPK14) pathways which stimulate expression of genes encoding pro-inflammatory cytokines and chemokines (By similarity). Enhances cytokine production in macrophages and dendritic cells (By similarity). Mediates production of reactive oxygen species in the cell (By similarity). Mediates phagocytosis of C.albicans conidia (PubMed:17230442). Binds T-cells in a way that does not involve their surface glycans and plays a role in T-cell activation. Stimulates T-cell proliferation. Induces phosphorylation of SCIMP after binding beta-glucans (By similarity).

Target Details

Expiry Date:

12 months

Target Details		
	{ECO:0000250 UniProtKB:Q6QLQ4, ECO:0000269 PubMed:11567029,	
	ECO:0000269 PubMed:12423684, ECO:0000269 PubMed:17230442}.	
Molecular Weight:	27.6 kDa	
UniProt:	Q9BXN2	
Pathways:	Activation of Innate immune Response	
Application Details		
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for	
	functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	