

Datasheet for ABIN7547343 **EIF3I Protein (AA 1-325) (His tag)**



Go to Product page

_				
	۱۱ / ۱	rv		۱۸/
	' V '	 ı v	Ι.	v v

Quantity:	1 mg
Target:	EIF3I
Protein Characteristics:	AA 1-325
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EIF3I protein is labelled with His tag.

Product Details

Custom-made recombinant EIF3I Protein expressed in mammalian cells.
MKPILLQGHE RSITQIKYNR EGDLLFTVAK DPIVNVWYSV NGERLGTYMG HTGAVWCVDA
DWDTKHVLTG SADNSCRLWD CETGKQLALL KTNSAVRTCG FDFGGNIIMF STDKQMGYQC
FVSFFDLRDP SQIDNNEPYM KIPCNDSKIT SAVWGPLGEC IIAGHESGEL NQYSAKSGEV
LVNVKEHSRQ INDIQLSRDM TMFVTASKDN TAKLFDSTTL EHQKTFRTER PVNSAALSPN
YDHVVLGGGQ EAMDVTTTST RIGKFEARFF HLAFEEEFGR VKGHFGPINS VAFHPDGKSY
SSGGEDGYVR IHYFDPQYFE FEFEA Sequence without tag. The proposed Purification-Tag is
based on experiences with the expression system, a different complexity of the protein
could make another tag necessary. In case you have a special request, please contact us.
If you are looking for a specific domain and are interested in a partial protein or a different
isoform, please contact us regarding an individual offer.
Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target: EIF3I

Alternative Name: EIF3I (EIF3I Products)

Background:

Eukaryotic translation initiation factor 3 subunit I (eIF3i) (Eukaryotic translation initiation factor 3 subunit 2) (TGF-beta receptor-interacting protein 1) (TRIP-1) (eIF-3-beta) (eIF3 p36),FUNCTION: Component of the eukaryotic translation initiation factor 3 (eIF-3) complex, which is required for several steps in the initiation of protein synthesis (PubMed:17581632, PubMed:25849773, PubMed:27462815). The eIF-3 complex associates with the 40S ribosome and facilitates the recruitment of eIF-1, eIF-1A, eIF-2:GTP:methionyl-tRNAi and eIF-5 to form the 43S pre-initiation complex (43S PIC). The eIF-3 complex stimulates mRNA recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex is also required for disassembly and recycling of post-termination ribosomal complexes and subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to initiation (PubMed:17581632). The eIF-3 complex specifically targets and initiates translation of a subset of mRNAs involved in cell proliferation, including cell cycling, differentiation and apoptosis, and uses different modes of RNA stem-loop binding to exert either translational activation or repression (PubMed:25849773). {ECO:0000255|HAMAP-Rule:MF_03008,

Target Details

ECO:0000269 PubMed:17581632, ECO:0000269 PubMed:25849773, ECO:0000269 PubMed:27462815}.
36.5 kDa
Q13347
Mitotic G1-G1/S Phases, DNA Replication, Ribonucleoprotein Complex Subunit Organization, Synthesis of DNA

Application Details

Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months