

Datasheet for ABIN7548214

PTPLAD2 Protein (AA 1-232) (His tag)

1 mg



_					
	W	0	rv	10	W

Quantity:

Quartity.	9	
Target:	PTPLAD2	
Protein Characteristics:	AA 1-232	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This PTPLAD2 protein is labelled with His tag.	
Application:	SDS-PAGE (SDS), Western Blotting (WB)	
Product Details		
Purpose:	Custom-made recombinat HACD4 Protein expressed in mammalien cells.	
Sequence:	MGPLALPAWL QPRYRKNAYL FIYYLIQFCG HSWIFTNMTV RFFSFGKDSM VDTFYAIGLV	
	MRLCQSVSLL ELLHIYVGIE SNHLLPRFLQ LTERIIILFV VITSQEEVQE KYVVCVLFVF	
	WNLLDMVRYT YSMLSVIGIS YAVLTWLSQT LWMPIYPLCV LAEAFAIYQS LPYFESFGTY	
	STKLPFDLSI YFPYVLKIYL MMLFIGMYFT YSHLYSERRD ILGIFPIKKK KM Sequence without	
	tag. The proposed Purification-Tag is based on experiences with the expression system, a	
	tag. The proposed Furnication-ray is based on experiences with the expression system, a	
	different complexity of the protein could make another tag necessary. In case you have a	
Characteristics:	different complexity of the protein could make another tag necessary. In case you have a	

· Protein expressed in mammalien cells and purified in one-step affinity chromatography

· The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	PTPLAD2
Alternative Name:	HACD4 (PTPLAD2 Products)
Background:	Very-long-chain (3R)-3-hydroxyacyl-CoA dehydratase 4 (EC 4.2.1.134) (3-hydroxyacyl-CoA dehydratase 4) (HACD4) (Protein-tyrosine phosphatase-like A domain-containing protein 2),FUNCTION: Catalyzes the third of the four reactions of the long-chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process, allows the addition of two carbons to the chain of long- and very long-chain fatty acids/VLCFAs per cycle. This enzyme catalyzes the dehydration of the 3-hydroxyacyl-CoA intermediate into trans-2,3-enoyl-CoA, within each cycle of fatty acid elongation. Thereby, it participates in the production of VLCFAs of different chain lengths that are involved in multiple biological processes as precursors of membrane lipids and lipid mediators. {ECO:0000269 PubMed:18554506}.
Molecular Weight:	27.5 kDa
UniProt:	Q5VWC8

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Application Details

Expiry Date:

12 months

Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	