

Datasheet for ABIN7548233 **GSTO2 Protein (AA 1-243) (His tag)**



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg
Target:	GST02
Protein Characteristics:	AA 1-243
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GST02 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat GST02 Protein expressed in mammalien cells.
Sequence:	MSGDATRTLG KGSQPPGPVP EGLIRIYSMR FCPYSHRTRL VLKAKDIRHE VVNINLRNKP
	EWYYTKHPFG HIPVLETSQC QLIYESVIAC EYLDDAYPGR KLFPYDPYER ARQKMLLELF
	CKVPHLTKEC LVALRCGREC TNLKAALRQE FSNLEEILEY QNTTFFGGTC ISMIDYLLWP
	WFERLDVYGI LDCVSHTPAL RLWISAMKWD PTVCALLMDK SIFQGFLNLY FQNNPNAFDF GLC
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	GST02	
Alternative Name:	GST02 (GST02 Products)	
Background:	Glutathione S-transferase omega-2 (GSTO-2) (EC 2.5.1.18) (Glutathione S-transferase omega 2-2) (GSTO 2-2) (Glutathione-dependent dehydroascorbate reductase) (EC 1.8.5.1) (Monomethylarsonic acid reductase) (MMA(V) reductase) (EC 1.20.4.2),FUNCTION: Exhibits glutathione-dependent thiol transferase activity. Has high dehydroascorbate reductase activity and may contribute to the recycling of ascorbic acid. Participates in the biotransformation of inorganic arsenic and reduces monomethylarsonic acid (MMA). (ECO:0000269 PubMed:15970797).	
Molecular Weight:	28.3 kDa	
UniProt:	Q9H4Y5	

Application Details

	as well. As the protein has not been tested for functional studies yet we cannot offer a quarantee though.
Restrictions:	For Research Use only

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 2/3 | Product datasheet for ABIN7548233 | 03/07/2025 | Copyright antibodies-online. All rights reserved.

Handling

Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	