

Datasheet for ABIN7548327

C11orf73 Protein (AA 1-197) (His tag)



Go to Product page

	er		

Quantity:	1 mg
Target:	C11orf73
Protein Characteristics:	AA 1-197
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This C11orf73 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Purpose:	Custom-made recombinat HIKESHI Protein expressed in mammalien cells.
Sequence:	MFGCLVAGRL VQTAAQQVAE DKFVFDLPDY ESINHVVVFM LGTIPFPEGM GGSVYFSYPD
	SNGMPVWQLL GFVTNGKPSA IFKISGLKSG EGSQHPFGAM NIVRTPSVAQ IGISVELLDS
	MAQQTPVGNA AVSSVDSFTQ FTQKMLDNFY NFASSFAVSQ AQMTPSPSEM FIPANVVLKW
	YENFQRRLAQ NPLFWKT Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Characteristics:	
Characteristics:	another tag necessary. In case you have a special request, please contact us.

	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	C11orf73
Alternative Name:	HIKESHI (C11orf73 Products)
Background:	Protein Hikeshi, FUNCTION: Acts as a specific nuclear import carrier for HSP70 proteins
	following heat-shock stress: acts by mediating the nucleoporin-dependent translocation of ATP-
	bound HSP70 proteins into the nucleus. HSP70 proteins import is required to protect cells from
	heat shock damages. Does not translocate ADP-bound HSP70 proteins into the nucleus.
	{ECO:0000269 PubMed:22541429}.
Molecular Weight:	21.6 kDa
UniProt:	Q53FT3
Pathways:	Protein targeting to Nucleus
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months