

Datasheet for ABIN7548400
ISG20L2 Protein (AA 1-353) (His tag)



[Go to Product page](#)

Overview

| | |
|-------------------------------|--|
| Quantity: | 1 mg |
| Target: | ISG20L2 |
| Protein Characteristics: | AA 1-353 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This ISG20L2 protein is labelled with His tag. |
| Application: | SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

| | |
|------------------|---|
| Purpose: | Custom-made recombinat ISG20L2 Protein expressed in mammalian cells. |
| Sequence: | MSTLLLNLDG GEPPPKKALE GNAKHRNFVK KRLLERRGF LSKKNQPPSK APKLHSEPSK KGETPTVDGT WKTPSFPKKK TAASSNGSGQ PLDKKAAVSW LTPAPSKKAD SVAKVVDLLG EFQSALPKIN SHPTRSQKKS SQKKSSKKNH PQKNAPQNST QAHSKNCESG ASQKLPRKMV AIDCEMVGTV PKGHVSSLAR CSIVNYNGDV LYDEYILPPC HIVDYRTRWS GIRQHMVNA TPFKIARGQI LKILTGKIVV GHAIHNDFKA LQYFHPKSLT RDTSHIPPLN RKADCPENAT MSLKHLTKKL LNRDIQVGKS GHSSVEDAQA TMELYKLVEV EWEEHLARNP PTD Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us. |
| Characteristics: | Key Benefits: |

Product Details

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

| | |
|---------|---|
| Purity: | > 90 % as determined by Bis-Tris Page, Western Blot |
|---------|---|

| | |
|--------|-------------|
| Grade: | custom-made |
|--------|-------------|

Target Details

| | |
|---------|---------|
| Target: | ISG20L2 |
|---------|---------|

| | |
|-------------------|--|
| Alternative Name: | ISG20L2 (ISG20L2 Products) |
|-------------------|--|

| | |
|-------------|---|
| Background: | Interferon-stimulated 20 kDa exonuclease-like 2 (EC 3.1.-.-),FUNCTION: 3'-> 5'-exoribonuclease involved in ribosome biogenesis in the processing of the 12S pre-rRNA. Displays a strong specificity for a 3'-end containing a free hydroxyl group. {ECO:0000269 PubMed:18065403}. |
|-------------|---|

| | |
|-------------------|----------|
| Molecular Weight: | 39.2 kDa |
|-------------------|----------|

| | |
|----------|------------------------|
| UniProt: | Q9H9L3 |
|----------|------------------------|

Application Details

| | |
|--------------------|--|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
|--------------------|--|

| | |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

Handling

| | |
|------------------|--|
| Format: | Liquid |
| Buffer: | The buffer composition is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |