

# Datasheet for ABIN754843 anti-TWF1 antibody (AA 351-422)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	TWF1	
Binding Specificity:	AA 351-422	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TWF1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TWF1	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Cow,Pig	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:
---------

#### **Target Details**

Alternative Name:	PTK9 (TWF1 Products)		
Background:	Synonyms: A6, A6 protein tyrosine kinase, Protein A6, Protein tyrosine kinase 9, PTK9, PTK9		
	protein tyrosine kinase 9, TWF 1, TWF1, Twinfilin 1, Twinfilin actin binding protein, homolog 1,		
	Twinfilin, Twinfilin, actin-binding protein, homolog 1 Drosophila, Twinfilin, Drosophila, homolog		
	of, 1, TWF1_HUMAN, Twinfilin-1.		
	Background: PTK9 is an actin-binding protein involved in motile and morphological processes		
	It inhibits actin polymerization, likely by sequestering G-actin. By capping the barbed ends of		
	filaments, it also regulates motility. PTK9 seems to play an important role in clathrin-mediated		
	endocytosis and distribution of endocytic organelles.		
Gene ID:	5756		
UniProt:	Q12792		
Pathways:	Regulation of Actin Filament Polymerization, Maintenance of Protein Location		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	FCM 1:20-100		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		

## Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months