

Datasheet for ABIN7548749 SUV420H2/KMT5C Protein (AA 1-462) (His tag)



Overview

Quantity:	1 mg
Target:	SUV420H2/KMT5C (SUV420H2)
Protein Characteristics:	AA 1-462
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SUV420H2/KMT5C protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant KMT5C Protein expressed in mammalian cells.
Sequence:	MGPDRVTARE LCENDDLATS LVLDPYLGFR THKMNVSPVP PLRRQQHLRS ALETFLRQRD
	LEAAYRALTL GGWTARYFQS RGPRQEAALK THVYRYLRAF LPESGFTILP CTRYSMETNG
	AKIVSTRAWK KNEKLELLVG CIAELREADE GLLRAGENDF SIMYSTRKRS AQLWLGPAAF
	INHDCKPNCK FVPADGNAAC VKVLRDIEPG DEVTCFYGEG FFGEKNEHCE CHTCERKGEG
	AFRTRPREPA LPPRPLDKYQ LRETKRRLQQ GLDSGSRQGL LGPRACVHPS PLRRDPFCAA
	CQPLRLPACS ARPDTSPLWL QWLPQPQPRV RPRKRRRPRP RRAPVLSTHH AARVSLHRWG
	GCGPHCRLRG EALVALGQPP HARWAPQQDW HWARRYGLPY VVRVDLRRLA PAPPATPAPA
	GTPGPILIPK QALAFAPFSP PKRLRLVVSH GSIDLDVGGE EL Sequence without tag. The
	proposed Purification-Tag is based on experiences with the expression system, a different
	complexity of the protein could make another tag necessary. In case you have a special
	request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7548749 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

Product Details

	isoform, please contact us regarding an individual offer.
Characteristics:	 Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

Target:	SUV420H2/KMT5C (SUV420H2)
Alternative Name:	KMT5C (SUV420H2 Products)
Background:	Histone-lysine N-methyltransferase KMT5C (Lysine N-methyltransferase 5C) (Lysine-specific methyltransferase 5C) (Suppressor of variegation 4-20 homolog 2) (Su(var)4-20 homolog 2) (Suv4-20h2) ([histone H4]-N-methyl-L-lysine20 N-methyltransferase KMT5B) (EC 2.1.1.361),FUNCTION: Histone ([histone H4]-lysine20 N-methyltransferase KMT5B) (EC 2.1.1.361),FUNCTION: Histone methyltransferase that specifically methylates monomethylated 'Lys-20' (H4K20me1) and dimethylated 'Lys-20' (H4K20me2) of histone H4 to produce respectively dimethylated 'Lys-20' (H4K20me2) and trimethylated 'Lys-20' (H4K20me3) and thus regulates transcription and maintenance of genome integrity (PubMed:24396869, PubMed:28114273). In vitro also methylates unmodified 'Lys-20' (H4K20me0) of histone H4 and nucleosomes (PubMed:24396869). H4 'Lys-20' trimethylation represents a specific tag for epigenetic transcriptional repression. Mainly functions in pericentric heterochromatin regions, thereby
	playing a central role in the establishment of constitutive heterochromatin in these regions.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7548749 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

	KMT5C is targeted to histone H3 via its interaction with RB1 family proteins (RB1, RBL1 and RBL2) (By similarity). Facilitates TP53BP1 foci formation upon DNA damage and proficient non- homologous end-joining (NHEJ)-directed DNA repair by catalyzing the di- and trimethylation of 'Lys-20' of histone H4 (PubMed:28114273). May play a role in class switch reconbination by catalyzing the di- and trimethylation of 'Lys-20' of histone H4 (By similarity). {ECO:0000250 UniProtKB:Q6Q783, ECO:0000269 PubMed:24396869, ECO:0000269 PubMed:28114273}.
Molecular Weight:	52.1 kDa
UniProt:	Q86Y97
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months