

Datasheet for ABIN7549118
HBXIP Protein (AA 1-91) (Fc Tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	HBXIP
Protein Characteristics:	AA 1-91
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This HBXIP protein is labelled with Fc Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat LAMTOR5 Protein expressed in mammalien cells.
Sequence:	MEATLEQHLE DTMKNPSIVG VLCTDSQGLN LGCRGTLSD E HAGVISVLAQ QAAKLTSDPT DIPVVCLESD NGNIMI QKHD GITVAVHKMA S Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits: <ul style="list-style-type: none">• Made to order protein - from design to production - by highly experienced protein experts.• Protein expressed in mammalien cells and purified in one-step affinity chromatography• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.• State-of-the-art algorithm used for plasmid design (Gene synthesis).

Product Details

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity: > 90 % as determined by Bis-Tris Page, Western Blot

Grade: custom-made

Target Details

Target: HBXIP

Alternative Name: LAMTOR5 ([HBXIP Products](#))

Target Type: Viral Protein

Background: Regulator complex protein LAMTOR5 (Hepatitis B virus X-interacting protein) (HBV X-interacting protein) (HBX-interacting protein) (Late endosomal/lysosomal adaptor and MAPK and MTOR activator 5),FUNCTION: As part of the Ragulator complex it is involved in amino acid sensing and activation of mTORC1, a signaling complex promoting cell growth in response to growth factors, energy levels, and amino acids (PubMed:22980980, PubMed:30181260, PubMed:29158492). Activated by amino acids through a mechanism involving the lysosomal V-ATPase, the Ragulator plays a dual role for the small GTPases Rag (RagA/RRAGA, RagB/RRAGB, RagC/RRAGC and/or RagD/RRAGD): it (1) acts as a guanine nucleotide exchange factor (GEF), activating the small GTPases Rag and (2) mediates recruitment of Rag GTPases to the lysosome membrane (PubMed:22980980, PubMed:30181260, PubMed:29107538, PubMed:29158492, PubMed:28935770). Activated Ragulator and Rag GTPases function as a scaffold recruiting mTORC1 to lysosomes where it is in turn activated (PubMed:22980980, PubMed:30181260, PubMed:29158492). When complexed to BIRC5, interferes with apoptosome assembly, preventing recruitment of pro-caspase-9 to oligomerized APAF1, thereby selectively suppressing apoptosis initiated via the mitochondrial/cytochrome c pathway (PubMed:12773388). {ECO:0000269|PubMed:12773388, ECO:0000269|PubMed:22980980, ECO:0000269|PubMed:28935770,

Target Details

ECO:0000269|PubMed:29107538, ECO:0000269|PubMed:29158492,
ECO:0000269|PubMed:30181260}.

Molecular Weight: 9.6 kDa

UniProt: [O43504](#)

Pathways: [PI3K-Akt Signaling, Regulation of Cell Size](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months