

Datasheet for ABIN7549284 **MED8 Protein (AA 1-268) (His tag)**



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	1 mg
Target:	MED8
Protein Characteristics:	AA 1-268
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MED8 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat MED8 Protein expressed in mammalien cells.
Sequence:	MQREEKQLEA SLDALLSQVA DLKNSLGSFI CKLENEYGRL TWPSVLDSFA LLSGQLNTLN KVLKHEKTPL FRNQVIIPLV LSPDRDEDLM RQTEGRVPVF SHEVVPDHLR TKPDPEVEEQ EKQLTTDAAR IGADAAQKQI QSLNKMCSNL LEKISKEERE SESGGLRPNK QTFNPTDTNA LVAAVAFGKG LSNWRPSGSS GPGQAGQPGA GTILAGTSGL QQVQMAGAPS QQQPMLSGVQ MAQAGQPGKM PSGIKTNIKS ASMHPYQR Sequence without tag. The proposed Purification—Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Characteristics:	Key Benefits:Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

N AEDO

Target Details

Target:	MED8
Alternative Name:	MED8 (MED8 Products)
Background:	Mediator of RNA polymerase II transcription subunit 8 (Activator-recruited cofactor 32 kDa
	component) (ARC32) (Mediator complex subunit 8),FUNCTION: Component of the Mediator
	complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-
	dependent genes. Mediator functions as a bridge to convey information from gene-specific
	regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is
	recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold
	for the assembly of a functional preinitiation complex with RNA polymerase II and the general
	transcription factors. May play a role as a target recruitment subunit in E3 ubiquitin-protein
	ligase complexes and thus in ubiquitination and subsequent proteasomal degradation of target
	proteins.
Molecular Weight:	29.1 kDa
UniProt:	Q96G25
Pathways:	Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months