

Datasheet for ABIN7549301 MED27 Protein (AA 1-311) (His tag)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg
Target:	MED27
Protein Characteristics:	AA 1-311
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MED27 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Purpose:	Custom-made recombinat MED27 Protein expressed in mammalien cells.
Sequence:	MADVINVSVN LEAFSQAISA IQALRSSVSR VFDCLKDGMR NKETLEGREK AFIAHFQDNL
	HSVNRDLNEL ERLSNLVGKP SENHPLHNSG LLSLDPVQDK TPLYSQLLQA YKWSNKLQYH
	AGLASGLLNQ QSLKRSANQM GVSAKRRPKA QPTTLVLPPQ YVDDVISRID RMFPEMSIHL
	SRPNGTSAML LVTLGKVLKV IVVMRSLFID RTIVKGYNEN VYTEDGKLDI WSKSNYQVFQ
	KVTDHATTAL LHYQLPQMPD VVVRSFMTWL RSYIKLFQAP CQRCGKFLQD GLPPTWRDFR
	TLEAFHDTCR Q Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	• Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	MED27
Alternative Name:	MED27 (MED27 Products)
Background:	Mediator of RNA polymerase II transcription subunit 27 (Cofactor required for Sp1
	transcriptional activation subunit 8) (CRSP complex subunit 8) (Mediator complex subunit 27)
	(P37 TRAP/SMCC/PC2 subunit) (Transcriptional coactivator CRSP34),FUNCTION: Component
	of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA
	polymerase II-dependent genes. Mediator functions as a bridge to convey information from
	gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery.
	Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as
	a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and
	the general transcription factors. {ECO:0000269 PubMed:10882111,
	ECO:0000269 PubMed:9989412}.
Molecular Weight:	35.4 kDa
UniProt:	Q6P2C8
Pathways:	Stem Cell Maintenance, Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months