

Datasheet for ABIN7549380 **MED7 Protein (AA 1-233) (His tag)**



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg
Target:	MED7
Protein Characteristics:	AA 1-233
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MED7 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details			
Purpose:	Custom-made recombinat MED7 Protein expressed in mammalien cells.		
Sequence:	MGEPQQVSAL PPPPMQYIKE YTDENIQEGL APKPPPPIKD SYMMFGNQFQ CDDLIIRPLE		
	SQGIERLHPM QFDHKKELRK LNMSILINFL DLLDILIRSP GSIKREEKLE DLKLLFVHVH		
	HLINEYRPHQ ARETLRVMME VQKRQRLETA ERFQKHLERV IEMIQNCLAS LPDDLPHSEA		
	GMRVKTEPMD ADDSNNCTGQ NEHQRENSGH RRDQIIEKDA ALCVLIDEMN ERP Sequence		
	without tag. The proposed Purification-Tag is based on experiences with the expression		
	system, a different complexity of the protein could make another tag necessary. In case you		
	have a special request, please contact us.		
Characteristics:	Key Benefits:		
	Made to order protein - from design to production - by highly experienced protein experts.		
	 Protein expressed in mammalien cells and purified in one-step affinity chromatography 		
	 The optimized expression system ensures reliability for intracellular, secreted and 		

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	MED7
Alternative Name:	MED7 (MED7 Products)
Background:	Mediator of RNA polymerase II transcription subunit 7 (hMED7) (Activator-recruited cofactor 34
	kDa component) (ARC34) (Cofactor required for Sp1 transcriptional activation subunit 9) (CRSP
	complex subunit 9) (Mediator complex subunit 7) (RNA polymerase transcriptional regulation
	mediator subunit 7 homolog) (Transcriptional coactivator CRSP33),FUNCTION: Component of
	the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA
	polymerase II-dependent genes. Mediator functions as a bridge to convey information from
	gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery.
	Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as
	a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and
	the general transcription factors.
Molecular Weight:	27.2 kDa
UniProt:	043513
Pathways:	Stem Cell Maintenance, Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months