

# Datasheet for ABIN7549623 NAA30 Protein (AA 1-362) (His tag)



Go to Product page

_			
( )	V/C	rv	٨/

Quantity:	1 mg
Target:	NAA30
Protein Characteristics:	AA 1-362
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NAA30 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

## **Product Details**

Purpose:	Custom-made recombinat NAA30 Protein expressed in mammalien cells.
Sequence:	MAEVPPGPSS LLPPPAPPAP AAVEPRCPFP AGAALACCSE DEEDDEEHEG GGSRSPAGGE
	SATVAAKGHP CLRCPQPPQE QQQLNGLISP ELRHLRAAAS LKSKVLSVAE VAATTATPDG
	GPRATATKGA GVHSGERPPH SLSSNARTAV PSPVEAAAAS DPAAARNGLA EGTEQEEEEE
	DEQVRLLSSS LTADCSLRSP SGREVEPGED RTIRYVRYES ELQMPDIMRL ITKDLSEPYS
	IYTYRYFIHN WPQLCFLAMV GEECVGAIVC KLDMHKKMFR RGYIAMLAVD SKYRRNGIGT
	NLVKKAIYAM VEGDCDEVVL ETEITNKSAL KLYENLGFVR DKRLFRYYLN GVDALRLKLW LR
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Characteristics:	Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

#### **Target Details**

Target:	NAA30
Alternative Name:	NAA30 (NAA30 Products)
Background:	N-alpha-acetyltransferase 30 (EC 2.3.1.256) (N-acetyltransferase 12) (N-acetyltransferase MAK3 homolog) (NatC catalytic subunit),FUNCTION: Catalytic subunit of the N-terminal acetyltransferase C (NatC) complex. Catalyzes acetylation of the N-terminal methionine residues of peptides beginning with Met-Leu-Ala and Met-Leu-Gly. Necessary for the lysosomal localization and function of ARL8B sugeesting that ARL8B is a NatC substrate. {ECO:0000269 PubMed:19398576}.
Molecular Weight:	39.3 kDa
UniProt:	Q147X3
A 1: 1: D 1 1	

#### **Application Details**

### Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

# **Application Details**

Expiry Date:

12 months

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.