

Datasheet for ABIN7549812 NOTO Protein (AA 1-251) (His tag)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg
Target:	NOTO
Protein Characteristics:	AA 1-251
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NOTO protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details		
Purpose:	Custom-made recombinat NOTO Protein expressed in mammalien cells.	
Sequence:	MPSPRPRGSP PPAPSGSRVR PPRSGRSPAP RSPTGPNTPR APGRFESPFS VEAILARPDP	
	CAPAASQPSG SACVHPAFWT AASLCATGGL PWACPTSWLP AYLSVGFYPV PGPRVAPVCG	
	LLGFGVTGLE LAHCSGLWAF PDWAPTEDLQ DTERQQKRVR TMFNLEQLEE LEKVFAKQHN	
	LVGKKRAQLA ARLKLTENQV RVWFQNRRVK YQKQQKLRAA VTSAEAASLD EPSSSSIASI	
	QSDDAESGVD G Sequence without tag. The proposed Purification-Tag is based on	
	experiences with the expression system, a different complexity of the protein could make	
	another tag necessary. In case you have a special request, please contact us.	
Characteristics:	Key Benefits:	
	Made to order protein - from design to production - by highly experienced protein experts.	
	Protein expressed in mammalien cells and purified in one-step affinity chromatography	
	The optimized expression system ensures reliability for intracellular, secreted and	

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	NOTO
Alternative Name:	NOTO (NOTO Products)
Background:	Homeobox protein notochord, FUNCTION: Transcription regulator acting downstream of both
	FOXA2 and Brachyury (T) during notochord development. Required for node morphogenesis. Is
	essential for cilia formation in the posterior notochord (PNC) and for left-right patterning, acts
	upstream of FOXJ1 and RFX3 in this process and is required for the expression of various
	components important for axonemal assembly and function. Plays a role in regulating axial
	versus paraxial cell fate. Activates the transcription of ciliary proteins C11orf97 homolog,
	FAM183B and SPACA9 in the embryonic ventral node (By similarity).
	{ECO:0000250 UniProtKB:Q5TIS6}.
Molecular Weight:	27.0 kDa
UniProt:	A8MTQ0
Application Dataile	

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Application Details

Storage Comment:

Expiry Date:

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

Store at -80°C.

12 months