

Datasheet for ABIN7549834 NINJ2 Protein (AA 1-142) (His tag)



Overview

Quantity:	1 mg
Target:	NINJ2
Protein Characteristics:	AA 1-142
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NINJ2 protein is labelled with His tag.

Product Details

Product Details	
Purpose:	Custom-made recombinant NINJ2 Protein expressed in mammalian cells.
Sequence:	MESARENIDL QPGSSDPRSQ PINLNHYATK KSVAESMLDV ALFMSNAMRL KAVLEQGPSS
	HYYTTLVTLI SLSLLLQVVI GVLLVVIARL NLNEVEKQWR LNQLNNAATI LVFFTVVINV
	FITAFGAHKT GFLAARASRN PL Sequence without tag. The proposed Purification-Tag is
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalian cells and purified in one-step affinity chromatography The second seco
	 The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

Target:

custom-made

NINJ2

Target Details

Alternative Name:	NINJ2 (NINJ2 Products)
Background:	Ninjurin-2 (Nerve injury-induced protein 2),FUNCTION: Effector of necroptotic and pyroptotic
	programmed cell death that mediates plasma membrane rupture (cytolysis) (By similarity).
	Acts downstream of Gasdermin (GSDMA, GSDMB, GSDMC, GSDMD, or GSDME) or MLKL
	during pyroptosis or necroptosis, respectively: oligomerizes in response to death stimuli and
	promotes plasma membrane rupture by introducing hydrophilic faces of 2 alpha helices into
	the hydrophobic membrane, leading to release intracellular molecules named damage-
	associated molecular patterns (DAMPs) that propagate the inflammatory response (By
	similarity). Also acts as a homophilic transmembrane adhesion molecule involved in nerve
	regeneration (PubMed:10627596). Promotes axonal growth (PubMed:10627596).
	{ECO:0000250 UniProtKB:Q92982, ECO:0000269 PubMed:10627596}.
Molecular Weight:	15.7 kDa
UniProt:	Q9NZG7

Application Details

Application Notes:

We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Application Details

Storage Comment:

Expiry Date:

For Research Use only
Liquid
The buffer composition is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C

Store at -80°C.

12 months