

Datasheet for ABIN7549923 NR0B2 Protein (AA 1-257) (His tag)



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	1 mg
Target:	NR0B2
Protein Characteristics:	AA 1-257
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NR0B2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details		
Purpose:	Custom-made recombinat NR0B2 Protein expressed in mammalien cells.	
Sequence:	MSTSQPGACP CQGAASRPAI LYALLSSSLK AVPRPRSRCL CRQHRPVQLC APHRTCREAL	
	DVLAKTVAFL RNLPSFWQLP PQDQRRLLQG CWGPLFLLGL AQDAVTFEVA EAPVPSILKK	
	ILLEEPSSSG GSGQLPDRPQ PSLAAVQWLQ CCLESFWSLE LSPKEYACLK GTILFNPDVP	
	GLQAASHIGH LQQEAHWVLC EVLEPWCPAA QGRLTRVLLT ASTLKSIPTS LLGDLFFRPI	
	IGDVDIAGLL GDMLLLR Sequence without tag. The proposed Purification-Tag is based on	
	experiences with the expression system, a different complexity of the protein could make	
	another tag necessary. In case you have a special request, please contact us.	
Characteristics:	Key Benefits:	
	Made to order protein - from design to production - by highly experienced protein experts.	
	Protein expressed in mammalien cells and purified in one-step affinity chromatography	
	The optimized expression system ensures reliability for intracellular, secreted and	

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

<u> </u>		
Target:	NR0B2 (NR0B2 Products)	
Alternative Name:		
Background:	Nuclear receptor subfamily 0 group B member 2 (Orphan nuclear receptor SHP) (Small	
	heterodimer partner), FUNCTION: Transcriptional regulator that acts as a negative regulator of	
	receptor-dependent signaling pathways (By similarity). Specifically inhibits transactivation of	
	the nuclear receptor with which it interacts (By similarity). Inhibits transcriptional activity of	
	NEUROD1 on E-box-containing promoter by interfering with the coactivation function of the	
	p300/CBP-mediated transcription complex for NEUROD1 (PubMed:14752053). Essential	
	component of the liver circadian clock which via its interaction with NR1D1 and RORG regulate	
	NPAS2-mediated hepatic lipid metabolism (By similarity). Regulates the circadian expression o	
	cytochrome P450 (CYP) enzymes (By similarity). Represses: NR5A2 and HNF4A to down-	
	regulate CYP2C38, NFLI3 to up-regulate CYP2A5, BHLHE41/HNF1A axis to up-regulate	
	CYP1A2, CYP2E1 and CYP3A11, and NR1D1 to up-regulate CYP2B10, CYP4A10 and CYP4A14	
	(By similarity). {ECO:0000250 UniProtKB:Q62227, ECO:0000269 PubMed:14752053}.	
Molecular Weight:	28.1 kDa	
UniProt:	Q15466	
Pathways:	Nuclear Receptor Transcription Pathway, Positive Regulation of Peptide Hormone Secretion,	
	Intracellular Steroid Hormone Receptor Signaling Pathway, Steroid Hormone Mediated	

Signaling Pathway

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months