

## Datasheet for ABIN7549928 WDYHV1 Protein (AA 1-205) (His tag)



Go to Product page

_			
( )	11/0	r\ /	iew
	' V C	IV	I C. V V

Quantity:	1 mg
Target:	WDYHV1
Protein Characteristics:	AA 1-205
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This WDYHV1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Froduct Details	
Purpose:	Custom-made recombinat NTAQ1 Protein expressed in mammalien cells.
Sequence:	MEGNGPAAVH YQPASPPRDA CVYSSCYCEE NIWKLCEYIK NHDQYPLEEC YAVFISNERK
	MIPIWKQQAR PGDGPVIWDY HVVLLHVSSG GQNFIYDLDT VLPFPCLFDT YVEDAFKSDD
	DIHPQFRRKF RVIRADSYLK NFASDRSHMK DSSGNWREPP PPYPCIETGD SKMNLNDFIS
	MDPKVGWGAV YTLSEFTHRF GSKNC Sequence without tag. The proposed Purification-Tag
	is based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalien cells and purified in one-step affinity chromatography
	The optimized expression system ensures reliability for intracellular, secreted and
	transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

## **Target Details**

Target:	WDYHV1
Alternative Name:	NTAQ1 (WDYHV1 Products)
Background:	Protein N-terminal glutamine amidohydrolase (EC 3.5.1.122) (Protein NH2-terminal glutamine deamidase) (N-terminal Gln amidase) (Nt(Q)-amidase) (WDYHV motif-containing protein
	1),FUNCTION: Mediates the side-chain deamidation of N-terminal glutamine residues to
	glutamate, an important step in N-end rule pathway of protein degradation. Conversion of the
	resulting N-terminal glutamine to glutamate renders the protein susceptible to arginylation,
	polyubiquitination and degradation as specified by the N-end rule. Does not act on substrates
	with internal or C-terminal glutamine and does not act on non-glutamine residues in any
	position. Does not deaminate acetylated N-terminal glutamine. With the exception of proline, all
	tested second-position residues on substrate peptides do not greatly influence the activity. In
	contrast, a proline at position 2, virtually abolishes deamidation of N-terminal glutamine.
	{ECO:0000250 UniProtKB:Q80WB5}.
Molecular Weight:	23.7 kDa
UniProt:	Q96HA8

## **Application Details**

**Application Notes:** 

In addition to the applications listed above we expect the protein to work for functional studies

## **Application Details**

	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months