

Datasheet for ABIN7549988

OAZ3 Protein (AA 1-235) (His tag)



Go to Product page

Overviev	

Quantity:	1 mg
Target:	OAZ3
Protein Characteristics:	AA 1-235
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This OAZ3 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat OAZ3 Protein expressed in mammalien cells.
Sequence:	MPCKRCRPSV YSLSYIKRGK TRNYLYPIWS PYAYYLYCYK YRITLREKML PRCYKSITYK
	EEEDLTLQPR SCLQCSESLV GLQEGKSTEQ GNHDQLKELY SAGNLTVLAT DPLLHQDPVQ
	LDFHFRLTSQ TSAHWHGLLC DRRLFLDIPY QALDQGNRES LTATLEYVEE KTNVDSVFVN
	FQNDRNDRGA LLRAFSYMGF EVVRPDHPAL PPLDNVIFMV YPLERDVGHL PSEPP Sequence
	without tag. The proposed Purification-Tag is based on experiences with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography

· The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

OAZ3

Target Details

raiget.	UAZS
Alternative Name:	OAZ3 (OAZ3 Products)
Background:	Ornithine decarboxylase antizyme 3 (AZ3) (ODC-Az 3),FUNCTION: Ornithine decarboxylase
	(ODC) antizyme protein that negatively regulates ODC activity and intracellular polyamine
	biosynthesis and uptake in response to increased intracellular polyamine levels. Binds to ODC
	monomers, inhibiting the assembly of the functional ODC homodimers. Does not target the
	ODC monomers for degradation, which allows a protein synthesis-independent restoration of
	ODC activity (PubMed:17900240). Stabilizes AZIN2 by interfering with its ubiquitination.
	Involved in the translocation of AZNI2 from ER-Golgi intermediate compartment (ERGIC) to the
	cytosol. Probably plays a key role in spermatogenesis by regulating the intracellular
	concentration of polyamines in haploid germ cells (By similarity).
	{ECO:0000250 UniProtKB:Q9R109, ECO:0000269 PubMed:17900240}.
Molecular Weight:	27.4 kDa
UniProt:	Q9UMX2

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

Application Details

	guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months