

Datasheet for ABIN7549994

MT-ND4L Protein (AA 1-98) (His tag)



Overview

Quantity:	1 mg
Target:	MT-ND4L
Protein Characteristics:	AA 1-98
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MT-ND4L protein is labelled with His tag.

Product Details

Product Details	
Purpose:	Custom-made recombinant MT-ND4L Protein expressed in mammalian cells.
Sequence:	MPLIYMNIML AFTISLLGML VYRSHLMSSL LCLEGMMLSL FIMATLMTLN THSLLANIVP
	IAMLVFAACE AAVGLALLVS ISNTYGLDYV HNLNLLQC Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalian cells and purified in one-step affinity chromatography
	The optimized expression system ensures reliability for intracellular, secreted and
	transmembrane proteins.

Froduct Details	
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	MT-ND4L
Alternative Name:	MT-ND4L (MT-ND4L Products)
Background:	NADH-ubiquinone oxidoreductase chain 4L (EC 7.1.1.2) (NADH dehydrogenase subunit 4L)
	(ND4L),FUNCTION: Core subunit of the mitochondrial membrane respiratory chain NADH
	dehydrogenase (Complex I) which catalyzes electron transfer from NADH through the
	respiratory chain, using ubiquinone as an electron acceptor (PubMed:28844695). Part of the
	enzyme membrane arm which is embedded in the lipid bilayer and involved in proton
	translocation (PubMed:28844695). {ECO:0000269 PubMed:28844695}.
Molecular Weight:	10.7 kDa
UniProt:	P03901
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months