

Datasheet for ABIN7550922

PRIM2 Protein (AA 1-509) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	PRIM2
Protein Characteristics:	AA 1-509
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PRIM2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat PRIM2 Protein expressed in mammalian cells.
Sequence:	<p>MEFSGRKWRK LRLAGDQRNA SYPHCLQFYI QPPSENISLI EFENLAIDRV KLLKSVENLG VSYVKGTEQY QSKLESELRK LKFSYRENLE DEYEPRRRDH ISHFILRLAY CQSEELRRWF IQQEMDLLRF RFSILPKDKI QDFLKDSQLQ FEASDEEKT LREQEIVASS PSLSGLKLGFI ESIYKIPFAD ALDLFRGRKV YLEDGFAYVP LKDIVAIIIN EFRAKLSKAL ALTARSLPAV QSDERLQPLL NHLSHSYTGQ DYSTQGNVGK ISLDQIDLLS TKSFPCCMRQ LHKALRENHH LRHGGRMQYG LFLKGIGLTL EQALQFWKQE FIKGKMDPKD FDKGYSYNIR HSGFKEGKRT DYTPFSCLKI ILSNPPSQGD YHGCPFRHSD PELLKQKLQS YKISPGGISQ ILDLVKGTHY QVACQKYFEM IHNVDCCGFS LNHPNQFFCE SQRILNGGKD IKKEPIQPET PQPKPSVQKT KDASSALASL NSSLLEMDMEG LEDYFSEDS</p> <p>Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>

Product Details

Characteristics:

Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:

PRIM2

Alternative Name:

PRIM2 ([PRIM2 Products](#))

Background:

DNA primase large subunit (DNA primase 58 kDa subunit) (p58),FUNCTION: Regulatory subunit of the DNA primase complex and component of the DNA polymerase alpha complex (also known as the alpha DNA polymerase-primase complex) which play an essential role in the initiation of DNA synthesis (PubMed:9705292, PubMed:17893144, PubMed:25550159, PubMed:26975377). During the S phase of the cell cycle, the DNA polymerase alpha complex (composed of a catalytic subunit POLA1, an accessory subunit POLA2 and two primase subunits, the catalytic subunit PRIM1 and the regulatory subunit PRIM2) is recruited to DNA at the replicative forks via direct interactions with MCM10 and WDHD1 (By similarity). The primase subunit of the polymerase alpha complex initiates DNA synthesis by oligomerising short RNA primers on both leading and lagging strands (PubMed:17893144). These primers are initially extended by the polymerase alpha catalytic subunit and subsequently transferred to polymerase delta and polymerase epsilon for processive synthesis on the lagging and leading strand, respectively (By similarity). In the primase complex, both subunits are necessary for the

Target Details

initial di-nucleotide formation, but the extension of the primer depends only on the catalytic subunit (PubMed:17893144, PubMed:25550159). Binds RNA:DNA duplex and coordinates the catalytic activities of PRIM1 and POLA2 during primase-to-polymerase switch.
{ECO:0000250|UniProtKB:P09884, ECO:0000250|UniProtKB:P33610, ECO:0000269|PubMed:17893144, ECO:0000269|PubMed:25550159, ECO:0000269|PubMed:26975377, ECO:0000269|PubMed:9705292}.

Molecular Weight:	58.8 kDa
UniProt:	P49643
Pathways:	Telomere Maintenance , Mitotic G1-G1/S Phases , DNA Replication , Synthesis of DNA , SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months