

## Datasheet for ABIN7551023 PRAF2 Protein (AA 1-178) (His tag)



Go to Product page

$\sim$			•	
	)\/A	r\ /	$\cap$	Λ/

Quantity:	1 mg	
Target:	PRAF2	
Protein Characteristics:	AA 1-178	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This PRAF2 protein is labelled with His tag.	
Application:	Western Blotting (WB), SDS-PAGE (SDS)	
Product Details		
Purpose:	Custom-made recombinat PRAF2 Protein expressed in mammalien cells.	
Sequence:	MSEVRLPPLR ALDDFVLGSA RLAAPDPCDP QRWCHRVINN LLYYQTNYLL CFGIGLALAG	
	YVRPLHTLLS ALVVAVALGV LVWAAETRAA VRRCRRSHPA ACLAAVLAVG LLVLWVAGGA	
	CTFLFSIAGP VLLILVHASL RLRNLKNKIE NKIESIGLKR TPMGLLLEAL GQEQEAGS <b>Sequence</b>	
	without tag. The proposed Purification-Tag is based on experiences with the expression	
	system, a different complexity of the protein could make another tag necessary. In case you	
	have a special request, please contact us.	
Characteristics:	Key Benefits:	
	Made to order protein - from design to production - by highly experienced protein experts.	
	<ul> <li>Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> <li>The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> </ul>	

	State-of-the-art algorithm used for plasmid design (Gene synthesis).	
	This protein is a made-to-order protein and will be made for the first time for your order. Our	
	experts in the lab try to ensure that you receive soluble protein.	
	If you are not interested in a full length protein, please contact us for individual protein fragments.	
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.	
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot	
Grade:	custom-made	
Target Details		
Target:	PRAF2	
Alternative Name:	PRAF2 (PRAF2 Products)	
Background:	PRA1 family protein 2,FUNCTION: May be involved in ER/Golgi transport and vesicular traffic.	
	Plays a proapoptotic role in cerulenin-induced neuroblastoma apoptosis.	
	{ECO:0000269 PubMed:17975142, ECO:0000269 PubMed:18395978}.	
Molecular Weight:	19.3 kDa	
UniProt:	060831	
Pathways:	Dicarboxylic Acid Transport	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	

## Handling

Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months