

## Datasheet for ABIN7551220 RDH12 Protein (AA 1-316) (His tag)



## Overview

Quantity:	1 mg
Target:	RDH12
Protein Characteristics:	AA 1-316
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RDH12 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Purpose:	Custom-made recombinat RDH12 Protein expressed in mammalien cells.
Sequence:	MLVTLGLLTS FFSFLYMVAP SIRKFFAGGV CRTNVQLPGK VVVITGANTG IGKETARELA
	SRGARVYIAC RDVLKGESAA SEIRVDTKNS QVLVRKLDLS DTKSIRAFAE GFLAEEKQLH
	ILINNAGVMM CPYSKTADGF ETHLGVNHLG HFLLTYLLLE RLKVSAPARV VNVSSVAHHI
	GKIPFHDLQS EKRYSRGFAY CHSKLANVLF TRELAKRLQG TGVTTYAVHP GVVRSELVRH
	SSLLCLLWRL FSPFVKTARE GAQTSLHCAL AEGLEPLSGK YFSDCKRTWV SPRARNNKTA
	ERLWNVSCEL LGIRWE Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	<ul> <li>Made to order protein - from design to production - by highly experienced protein experts.</li> </ul>

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

Target:

custom-made

RDH12

## **Target Details**

rarget.	NOTITE .
Alternative Name:	RDH12 (RDH12 Products)
Background:	Retinol dehydrogenase 12 (EC 1.1.1.300) (All-trans and 9-cis retinol dehydrogenase) (Short
	chain dehydrogenase/reductase family 7C member 2),FUNCTION: Retinoids
	dehydrogenase/reductase with a clear preference for NADP. Displays high activity towards 9-
	cis, 11-cis and all-trans-retinal. Shows very weak activity towards 13-cis-retinol
	(PubMed:15865448, PubMed:12226107). Also exhibits activity, albeit with lower affinity than for
	retinaldehydes, towards lipid peroxidation products (C9 aldehydes) such as 4-hydroxynonenal
	and trans-2-nonenal (PubMed:19686838, PubMed:15865448). May play an important function
	in photoreceptor cells to detoxify 4-hydroxynonenal and potentially other toxic aldehyde
	products resulting from lipid peroxidation (PubMed:19686838). Has no dehydrogenase activity
	towards steroids (PubMed:15865448, PubMed:12226107). {ECO:0000269 PubMed:12226107,
	ECO:0000269 PubMed:15865448, ECO:0000269 PubMed:19686838}.
Molecular Weight:	35.1 kDa
UniProt:	Q96NR8

## **Application Details**

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months