

# Datasheet for ABIN7551376 **RBM9 Protein (AA 1-390) (His tag)**



## Overview

Quantity:	1 mg
Target:	RBM9
Protein Characteristics:	AA 1-390
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RBM9 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant RBFOX2 Protein expressed in mammalian cells.
Sequence:	MQNEPLTPGY HGFPARDSQG NQEPTTTPDA MVQPFTTIPF PPPPQNGIPT EYGVPHTQDY
	AGQTGEHNLT LYGSTQAHGE QSSNSPSTQN GSLTTEGGAQ TDGQQSQTQS SENSESKSTP
	KRLHVSNIPF RFRDPDLRQM FGQFGKILDV EIIFNERGSK GFGFVTFENS ADADRAREKL
	HGTVVEGRKI EVNNATARVM TNKKMVTPYA NGWKLSPVVG AVYGPELYAA SSFQADVSLG
	NDAAVPLSGR GGINTYIPLI SLPLVPGFPY PTAATTAAAF RGAHLRGRGR TVYGAVRAVP
	PTAIPAYPGV VYQDGFYGAD LYGGYAAYRY AQPATATAAT AAAAAAAAYS DGYGRVYTAD
	PYHALAPAAS YGVGAVASLY RGGYSRFAPY Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.

#### **Product Details**

#### Characteristics:

Key Benefits:

- Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

#### Grade:

Target:

Pathways:

custom-made

RBM9

### **Target Details**

Alternative Name:	RBFOX2 (RBM9 Products)
Background:	RNA binding protein fox-1 homolog 2 (Fox-1 homolog B) (Hexaribonucleotide-binding protein 2)
	(RNA-binding motif protein 9) (RNA-binding protein 9) (Repressor of tamoxifen transcriptional
	activity),FUNCTION: RNA-binding protein that regulates alternative splicing events by binding to
	5'-UGCAUGU-3' elements. Prevents binding of U2AF2 to the 3'-splice site. Regulates alternative
	splicing of tissue-specific exons and of differentially spliced exons during erythropoiesis (By
	similarity). RNA-binding protein that seems to act as a coregulatory factor of ER-alpha.
	Together with RNA binding proteins RBPMS and MBNL1/2, activates vascular smooth muscle
	cells alternative splicing events (PubMed:37548402). {ECO:0000250,
	ECO:0000269 PubMed:11875103, ECO:0000269 PubMed:37548402}.
Molecular Weight:	41.4 kDa
UniProt:	043251

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 2/3 | Product datasheet for ABIN7551376 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

Intracellular Steroid Hormone Receptor Signaling Pathway, Skeletal Muscle Fiber Development

# **Application Details**

Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months