

Datasheet for ABIN7551497 **RNFT2 Protein (AA 1-444) (His tag)**



Overview

Quantity:	1 mg
Target:	RNFT2
Protein Characteristics:	AA 1-444
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RNFT2 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant RNFT2 Protein expressed in mammalian cells.
Sequence:	MWLFTVNQVL RKMQRRHSSN TDNIPPERNR SQALSSEASV DEGGVFESLK AEAASPPALF
	SGLSGSLPTS SFPSSLVLGS SAGGGDVFIQ MPASREEGGG RGEGGAYHHR QPHHHFHHGG
	HRGGSLLQHV GGDHRGHSEE GGDEQPGTPA PALSELKAVI CWLQKGLPFI LILLAKLCFQ
	HKLGIAVCIG MASTFAYANS TLREQVSLKE KRSVLVILWI LAFLAGNTLY VLYTFSSQQL
	YNSLIFLKPN LEMLDFFDLL WIVGIADFVL KYITIALKCL IVALPKIILA VKSKGKFYLV IEELSQLFRS
	LVPIQLWYKY IMGDDSSNSY FLGGVLIVLY SLCKSFDICG RVGGVRKALK LLCTSQNYGV
	RATGQQCTEA GDICAICQAE FREPLILLCQ HVFCEECLCL WLDRERTCPL CRSVAVDTLR
	CWKDGATSAH FQVY Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.

Product Details

Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	RNFT2
Alternative Name:	
	RNFT2 (RNFT2 Products)
Background:	E3 ubiquitin-protein ligase RNFT2 (RING finger and transmembrane domain-containing protein 2) (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}.
Background: Molecular Weight:	E3 ubiquitin-protein ligase RNFT2 (RING finger and transmembrane domain-containing protein 2) (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by
	E3 ubiquitin-protein ligase RNFT2 (RING finger and transmembrane domain-containing protein 2) (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}.
Molecular Weight:	E3 ubiquitin-protein ligase RNFT2 (RING finger and transmembrane domain-containing protein 2) (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}. 49.0 kDa
Molecular Weight: UniProt:	E3 ubiquitin-protein ligase RNFT2 (RING finger and transmembrane domain-containing protein 2) (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {ECO:0000269 PubMed:31990690}. 49.0 kDa
Molecular Weight: UniProt: Application Details	E3 ubiquitin-protein ligase RNFT2 (RING finger and transmembrane domain-containing protein 2) (Transmembrane protein 118),FUNCTION: E3 ubiquitin-protein ligase that negatively regulates IL3-dependent cellular responses through IL3RA ubiquitination and degradation by the proteasome, having an anti-inflammatory effect. {EC0:0000269 PubMed:31990690}. 49.0 kDa Q96EX2

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months