

Datasheet for ABIN7551557

Reprimo Protein (RPRM) (AA 1-109) (His tag)



Go to Product page

_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Quantity:	1 mg
Target:	Reprimo (RPRM)
Protein Characteristics:	AA 1-109
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Reprimo protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)
Product Details	
Purpose:	Custom-made recombinat RPRM Protein expressed in mammalien cells.
Sequence:	MNPALGNQTD VAGLFLANSS EALERAVRCC TQASVVTDDG FAEGGPDERS LYIMRVVQIA
	VMCVLSLTVV FGIFFLGCNL LIKSEGMINF LVKDRRPSKE VEAVVVGPY Sequence without tag
	The proposed Purification-Tag is based on experiences with the expression system, a
	different complexity of the protein could make another tag necessary. In case you have a
	special request, please contact us.
Characteristics:	Special request, please contact us. Key Benefits:
Characteristics:	
Characteristics:	 Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography
Characteristics:	Key Benefits: • Made to order protein - from design to production - by highly experienced protein experts.

	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
Target:	Reprimo (RPRM)
Alternative Name:	RPRM (RPRM Products)
Background:	Protein reprimo, FUNCTION: May be involved in the regulation of p53-dependent G2 arrest of the cell cycle. Seems to induce cell cycle arrest by inhibiting CDK1 activity and nuclear translocation of the CDC2 cyclin B1 complex (By similarity). {ECO:0000250}.
Molecular Weight:	11.8 kDa
UniProt:	Q9NS64
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months