

Datasheet for ABIN7551862 YWHAE Protein (AA 1-255) (His tag)



_					
	W	0	rv	10	W

Quantity:	1 mg	
Target:	YWHAE	
Protein Characteristics:	AA 1-255	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This YWHAE protein is labelled with His tag.	
Application:	SDS-PAGE (SDS), Western Blotting (WB)	
Product Details		
Purpose:	Custom-made recombinat YWHAE Protein expressed in mammalien cells.	
Sequence:	xSEQUENCE	
	Sequence without tag. The proposed Purification-Tag is based on experiences with the	
	expression system, a different complexity of the protein could make another tag necessary.	
	In case you have a special request, please contact us.	
Characteristics:	Key Benefits:	
	Made to order protein - from design to production - by highly experienced protein experts.	
	Protein expressed in mammalien cells and purified in one-step affinity chromatography	
	The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.	
	State-of-the-art algorithm used for plasmid design (Gene synthesis).	
	This protein is a made-to-order protein and will be made for the first time for your order. Our	

experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	YWHAE	
Alternative Name:	YWHAE (YWHAE Products)	
Background:	14-3-3 protein epsilon (14-3-3E),FUNCTION: Adapter protein implicated in the regulation of	
	large spectrum of both general and specialized signaling pathways. Binds to a large number of	
	partners, usually by recognition of a phosphoserine or phosphothreonine motif	
	(PubMed:35343654). Binding generally results in the modulation of the activity of the binding	
	partner (By similarity). Positively regulates phosphorylated protein HSF1 nuclear export to the	
	cytoplasm (PubMed:12917326). Plays a positive role in the antiviral signaling pathway	
	upstream of TBK1 via interaction with RIGI (PubMed:37555661). Mechanistically, directs RIGI	
	redistribution from the cytosol to mitochondrial associated membranes where it mediates	
	MAVS-dependent innate immune signaling during viral infection (PubMed:22607805). Plays a	
	role in proliferation inhibition and cell cycle arrest by exporting HNRNPC from the nucleus to the	
	cytoplasm to be degraded by ubiquitination (PubMed:37599448).	
	{ECO:0000250 UniProtKB:P62261, ECO:0000269 PubMed:12917326,	
	ECO:0000269 PubMed:22607805, ECO:0000269 PubMed:35343654,	
	ECO:0000269 PubMed:37555661, ECO:0000269 PubMed:37599448}.	
Molecular Weight:	29.2 kDa	
UniProt:	P62258	
Pathways:	Neurotrophin Signaling Pathway, Myometrial Relaxation and Contraction, M Phase	

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	