

Datasheet for ABIN7552099

ANAPC11 Protein (AA 1-84) (Fc Tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	ANAPC11
Protein Characteristics:	AA 1-84
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ANAPC11 protein is labelled with Fc Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat ANAPC11 Protein expressed in mammalian cells.
Sequence:	MKVKIKCWNG VATWLWVAND ENCGICRMAF NGCCPDCKVP GDDCPLVWGQ CSHCFHMHCI LKWLHAQQVQ QHCPMCRQEW KFKE Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits: • Made to order protein - from design to production - by highly experienced protein experts. • Protein expressed in mammalian cells and purified in one-step affinity chromatography • The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our

Product Details

experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
---------	---

Grade:	custom-made
--------	-------------

Target Details

Target:	ANAPC11
---------	---------

Alternative Name:	ANAPC11 (ANAPC11 Products)
-------------------	--

Background:	Anaphase-promoting complex subunit 11 (APC11) (Cyclosome subunit 11) (Hepatocellular carcinoma-associated RING finger protein),FUNCTION: Together with the cullin protein ANAPC2, constitutes the catalytic component of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated E3 ubiquitin ligase that controls progression through mitosis and the G1 phase of the cell cycle. The APC/C complex acts by mediating ubiquitination and subsequent degradation of target proteins: it mainly mediates the formation of 'Lys-11'-linked polyubiquitin chains and, to a lower extent, the formation of 'Lys-48'- and 'Lys-63'-linked polyubiquitin chains. May recruit the E2 ubiquitin-conjugating enzymes to the complex. {ECO:0000269 PubMed:11739784, ECO:0000269 PubMed:18485873}.
-------------	--

Molecular Weight:	9.8 kDa
-------------------	---------

UniProt:	Q9NYG5
----------	------------------------

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months