

Datasheet for ABIN7552399

ATP8B1 Protein (AA 1-1251) (His tag)[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	ATP8B1
Protein Characteristics:	AA 1-1251
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP8B1 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant ATP8B1 Protein expressed in mammalian cells.
Sequence:	MSTERDSETT FEEDSQPNDE VVPYSDDETE DELDDQGS AV EPEQNRVNRE AEENREPFRK ECTWQVKAND RKYHEQPHFM NTKFLCICKES KYANNAIKTY KYNAFTFIPM NLFEQFKRAA NLYFLALLIL QAVPQISTLA WYTTLVPLL VLGVTAIKDL VDDVARHKMD KEINNRTCEV IKDGRFKVAK WKEIQVDVI RLKKNDFVPA DILLSSSEP NSLCYVETAE LDGETNLKFK MSLEITDQYL QREDTLATFD GFIECEEPNN RLDKFTGTLF WRNTSFPLDA DKILLRGCVI RNTDFCHGLV IFAGADTKIM KNSGKTRFKR TKIDYLMNYM VYTFVVLIL LSAGLAIGHA YWEAQVGNSS WYLYDGEDDT PSYRGFLIFW GYIIVLNTMV PISLYVSVEV IRLGQSHFIN WDLQMYAEK DTPAKARTTT LNEQLGQIH YIFSDKTGTLT QNIMTFKKCC INGQIYGDHR DASQHNHINKI EQVDFSWNTY ADGKLAFYDH YLIEQIQSGK EPEVRQFFFL LAVCHTVMVD RTDQQLNYQA ASPDEGALVN AARNFGFAFL ARTQNTITIS ELGTERTYNV LAILDFNSDR KRMSIIVRTP EGNIKLYCKG ADTVIYERLH RMNPTKQETQ DALDIFANET LRTLCLCYKE IEEKEFTEWN KKFMAASVAS TNRDEALDKV YEEIEKDLIL LGATAIEDKL QDGVPETISK

Product Details

LAKADIKIWW LTGDKKETAE NIGFACELLT EDTTICYGED INSLHARME NQRNRGGVYA
KFAPPVQESF FPPGGNRALI ITGSWLNEIL LEKKTNRNKI LKLKFPRTTE ERRMRTQSKR
RLEAKKEQRQ KNFVDLACEC SAVICCRVTP KQKAMVVDLV KRYKKAITLA IGDGANDVNM
IKTAHIGVGI SGQEGMQAVM SSDYSFAQFR YLQRLLLVHG RWSYIRMCKF LRYFFYKNFA
FTLVHFWYSF FNGYSAQTAY EDWFITLYNV LYTSLPVLLM GLLDQDVSDK LSLRFPGLYI
VGQRDLLFNY KRFFVSLHVG VLTSMILFFI PLGAYLQTVG QDGEAPSDYQ SFAVTIASAL
VITVNFQIGL DTSYWTFVNA FSIFGSIALY FGIMDFHSA GIHVLFP SAF QFTGTASNAL
RQPYIWLTI LAVAVCLLPV VAIRFLSMTI WPSESDKIQK HRKRLKAEQ WQRRQVFRR
GVSTRRSAYA FSHQRGYADL ISSGRSIRKK RSPLDAIVAD GTAERYRTGD S **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Specificity: If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

Characteristics: Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade: custom-made

Target Details

Target: ATP8B1

Target Details

Alternative Name: [ATP8B1 \(ATP8B1 Products\)](#)

Background: Phospholipid-transporting ATPase IC (EC 7.6.2.1) (ATPase class I type 8B member 1) (Familial intrahepatic cholestasis type 1) (P4-ATPase flippase complex alpha subunit ATP8B1),FUNCTION: Catalytic component of a P4-ATPase flippase complex which catalyzes the hydrolysis of ATP coupled to the transport of phospholipids, in particular phosphatidylcholines (PC), from the outer to the inner leaflet of the plasma membrane (PubMed:25315773, PubMed:17948906). May participate in the establishment of the canalicular membrane integrity by ensuring asymmetric distribution of phospholipids in the canalicular membrane (By similarity). Thus may have a role in the regulation of bile acids transport into the canaliculus, uptake of bile acids from intestinal contents into intestinal mucosa or both and protect hepatocytes from bile salts (By similarity). Involved in the microvillus formation in polarized epithelial cells, the function seems to be independent from its flippase activity (PubMed:20512993). Participates in correct apical membrane localization of CDC42, CFTR and SLC10A2 (PubMed:25239307, PubMed:27301931). Enables CDC42 clustering at the apical membrane during enterocyte polarization through the interaction between CDC42 polybasic region and negatively charged membrane lipids provided by ATP8B1 (By similarity). Together with TMEM30A is involved in uptake of the synthetic drug alkylphospholipid perifosine (PubMed:20510206). Required for the preservation of cochlear hair cells in the inner ear (By similarity). May act as cardiolipin transporter during inflammatory injury (By similarity). {ECO:0000250|UniProtKB:Q148W0, ECO:0000269|PubMed:17948906, ECO:0000269|PubMed:20510206, ECO:0000269|PubMed:20512993, ECO:0000269|PubMed:25239307, ECO:0000269|PubMed:27301931}.

Molecular Weight: 143.7 kDa

UniProt: [O43520](#)

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months