

Datasheet for ABIN7552439 ATG10 Protein (AA 1-220) (His tag)



Overview

Quantity:	1 mg
Target:	ATG10
Protein Characteristics:	AA 1-220
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATG10 protein is labelled with His tag.

Product Details

10 Protein expressed in mammalian cells. QQIGDSW EWRPSKDCSD GYMCKIHFQI KNGSVMSHLG EVIETAAA SEVIKYEYHV LYSCSYQVPV LYFRASFLDG GPWDTITQ QEHPILGQPF FVLHPCKTNE FMTPVLKNSQ
EVIETAAA SEVIKYEYHV LYSCSYQVPV LYFRASFLDG
CDWINTITO DEHDII CODE EVI HDOKTNIE EMTDVI KNOO
GENDITION THE CIVILLA OF THE CONTINE CIVILLA
LPLSYAK ATSQDERNVP Sequence without tag. The proposed
periences with the expression system, a different complexity
ner tag necessary. In case you have a special request, please
omain and are interested in a partial protein or a different
ding an individual offer.
esign to production - by highly experienced protein experts.

- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:	ATG10
Alternative Name:	ATG10 (ATG10 Products)
Background:	Ubiquitin-like-conjugating enzyme ATG10 (EC 2.3.2) (Autophagy-related protein 10) (APG10-
	like),FUNCTION: E2-like enzyme involved in autophagy. Acts as an E2-like enzyme that
	catalyzes the conjugation of ATG12 to ATG5. ATG12 conjugation to ATG5 is required for
	autophagy. Likely serves as an ATG5-recognition molecule. Not involved in ATG12 conjugation
	to ATG3 (By similarity). Plays a role in adenovirus-mediated cell lysis. {ECO:0000250,
	ECO:0000269 PubMed:21367888}.
Molecular Weight:	25.3 kDa
UniProt:	Q9H0Y0
Pathways:	ER-Nucleus Signaling, Autophagy
Application Details	
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.

Application Details

Storage Comment:

Expiry Date:

For Research Use only
Liquid
The buffer composition is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C

Store at -80°C.

12 months