

Datasheet for ABIN7552465 ATG4C Protein (AA 1-458) (His tag)



Overview

Quantity:	1 mg
Target:	ATG4C
Protein Characteristics:	AA 1-458
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATG4C protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant ATG4C Protein expressed in mammalian cells.
Sequence:	MEATGTDEVD KLKTKFISAW NNMKYSWVLK TKTYFSRNSP VLLLGKCYHF KYEDEDKTLP
	AESGCTIEDH VIAGNVEEFR KDFISRIWLT YREEFPQIEG SALTTDCGWG CTLRTGQMLL
	AQGLILHFLG RAWTWPDALN IENSDSESWT SHTVKKFTAS FEASLSGERE FKTPTISLKE
	TIGKYSDDHE MRNEVYHRKI ISWFGDSPLA LFGLHQLIEY GKKSGKKAGD WYGPAVVAHI
	LRKAVEEARH PDLQGITIYV AQDCTVYNSD VIDKQSASMT SDNADDKAVI ILVPVRLGGE
	RTNTDYLEFV KGILSLEYCV GIIGGKPKQS YYFAGFQDDS LIYMDPHYCQ SFVDVSIKDF
	PLETFHCPSP KKMSFRKMDP SCTIGFYCRN VQDFKRASEE ITKMLKFSSK EKYPLFTFVN
	GHSRDYDFTS TTTNEEDLFS EDEKKQLKRF STEEFVLL Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different

isoform, please contact us regarding an individual offer. Characteristics: Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography · The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC) Purity: Grade: custom-made **Target Details** ATG4C Target: Alternative Name: ATG4C (ATG4C Products) Background: Cysteine protease ATG4C (EC 3.4.22.-) (AUT-like 3 cysteine endopeptidase) (Autophagy-related cysteine endopeptidase 3) (Autophagin-3) (Autophagy-related protein 4 homolog C) (HsAPG4C), FUNCTION: Cysteine protease that plays a key role in autophagy by mediating both proteolytic activation and delipidation of ATG8 family proteins (PubMed:21177865, PubMed:29458288, PubMed:30661429). The protease activity is required for proteolytic activation of ATG8 family proteins: cleaves the C-terminal amino acid of ATG8 proteins MAP1LC3 and GABARAPL2, to reveal a C-terminal glycine (PubMed:21177865). Exposure of the glycine at the C-terminus is essential for ATG8 proteins conjugation to phosphatidylethanolamine (PE) and insertion to membranes, which is necessary for autophagy

(By similarity). In addition to the protease activity, also mediates delipidation of ATG8 family

proteins (PubMed:29458288, PubMed:33909989). Catalyzes delipidation of PE-conjugated

forms of ATG8 proteins during macroautophagy (PubMed:29458288, PubMed:33909989).

Compared to ATG4B, the major protein for proteolytic activation of ATG8 proteins, shows weaker ability to cleave the C-terminal amino acid of ATG8 proteins, while it displays stronger delipidation activity (PubMed:29458288). In contrast to other members of the family, weakly or not involved in phagophore growth during mitophagy (PubMed:33773106). {ECO:0000250|UniProtKB:Q9Y4P1, ECO:0000269|PubMed:21177865, ECO:0000269|PubMed:29458288, ECO:0000269|PubMed:30661429, ECO:0000269|PubMed:33773106, ECO:0000269|PubMed:33909989}.

Molecular Weight: 52.5 kDa

UniProt: Q96DT6

Pathways: Autophagy

Application Details

Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months