

Datasheet for ABIN7552539 ATOH8 Protein (AA 1-321) (His tag)



Overview

Quantity:	1 mg
Target:	ATOH8
Protein Characteristics:	AA 1-321
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATOH8 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant ATOH8 Protein expressed in mammalian cells.
Sequence:	MKHIPVLEDG PWKTVCVKEL NGLKKLKRKG KEPARRANGY KTFRLDLEAP EPRAVATNGL
	RDRTHRLQPV PVPVPVPVPV APAVPPRGGT DTAGERGGSR APEVSDARKR CFALGAVGPG
	LPTPPPPPP APQSQAPGGP EAQPFREPGL RPRILLCAPP ARPAPSAPPA PPAPPESTVR
	PAPPTRPGES SYSSISHVIY NNHQDSSASP RKRPGEATAA SSEIKALQQT RRLLANARER
	TRVHTISAAF EALRKQVPCY SYGQKLSKLA ILRIACNYIL SLARLADLDY SADHSNLSFS
	ECVQRCTRTL QAEGRAKKRK E Sequence without tag. The proposed Purification-Tag is
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7552539 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

Target:	ATOH8
Alternative Name:	ATOH8 (ATOH8 Products)
Background:	Transcription factor ATOH8 (Class A basic helix-loop-helix protein 21) (bHLHa21) (Helix-loop- helix protein hATH-6) (hATH6) (Protein atonal homolog 8),FUNCTION: Transcription factor that binds a palindromic (canonical) core consensus DNA sequence 5'-CANNTG- 3' known as an E- box element, possibly as a heterodimer with other bHLH proteins (PubMed:24236640). Regulates endothelial cell proliferation, migration and tube-like structures formation
	(PubMed:24463812). Modulates endothelial cell differentiation through NOS3 (PubMed:24463812). May be implicated in specification and differentiation of neuronal cell lineages in the brain (By similarity). May participate in kidney development and may be involved in podocyte differentiation (By similarity). During early embryonic development is involved in tissue-specific differentiation processes that are dependent on class II bHLH factors and
	namely modulates the differentiation program initiated by the pro-endocrine factor NEUROG3 (By similarity). During myogenesis, may play a role during the transition of myoblasts from the proliferative phase to the differentiation phase (By similarity). Positively regulates HAMP transcription in two ways, firstly by acting directly on the HAMP promoter via E-boxes binding

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7552539 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

Target Details

	and indirectly through increased phosphorylation of SMAD protein complex
	(PubMed:24236640). Repress NEUROG3-dependent gene activation in a gene-specific manner
	through at least two mechanisms, requires only either the sequestering of a general partner
	such as TCF3 through heterodimerization, either also requires binding of the bHLH domain to
	DNA via a basic motif (By similarity). {ECO:0000250 UniProtKB:Q99NA2,
	ECO:0000269 PubMed:24236640, ECO:0000269 PubMed:24463812}.
Molecular Weight:	34.6 kDa
UniProt:	Q96SQ7
Pathways:	Regulation of Muscle Cell Differentiation
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Handling Format:	Liquid
Handling Format:	Liquid
Handling Format: Buffer:	Liquid The buffer composition is at the discretion of the manufacturer.
Handling Format: Buffer: Handling Advice:	Liquid The buffer composition is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles.
Handling Format: Buffer: Handling Advice: Storage:	Liquid The buffer composition is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles. -80 °C
Handling Format: Buffer: Handling Advice: Storage: Storage Comment:	Liquid The buffer composition is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles. -80 °C Store at -80°C.