

Datasheet for ABIN7552582 **BEX1 Protein (AA 1-125) (His tag)**



_		erview			
	1//	r	1//	\triangle	۸/
	V		VI		/ V

Quantity:	1 mg
Target:	BEX1
Protein Characteristics:	AA 1-125
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BEX1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Purpose:	Custom-made recombinat BEX1 Protein expressed in mammalien cells.
Sequence:	MESKEKRAVN SLSMENANQE NEEKEQVANK GEPLALPLDA GEYCVPRGNR RRFRVRQPIL QYRWDMMHRL GEPQARMREE NMERIGEEVR QLMEKLREKQ LSHSLRAVST DPPHHDHHDE FCLMP Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	 Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	BEX1	
Alternative Name:	BEX1 (BEX1 Products)	
Background:	Protein BEX1 (Brain-expressed X-linked protein 1),FUNCTION: Signaling adapter molecule	
	involved in p75NTR/NGFR signaling. Plays a role in cell cycle progression and neuronal	
	differentiation. Inhibits neuronal differentiation in response to nerve growth factor (NGF). May	
	act as a link between the cell cycle and neurotrophic factor signaling, possibly by functioning as	
	an upstream modulator of receptor signaling, coordinating biological responses to external	
	signals with internal cellular states (By similarity). In absence of reductive stress, acts as a	
	pseudosubstrate for the CRL2(FEM1B) complex: associates with FEM1B via zinc, thereby	
	preventing association between FEM1B and its substrates (By similarity).	
	{ECO:0000250 UniProtKB:Q3MKQ2, ECO:0000250 UniProtKB:Q9R224}.	
Molecular Weight:	14.9 kDa	
UniProt:	Q9HBH7	
Pathways:	Neurotrophin Signaling Pathway	

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Application Details

Storage Comment:

Expiry Date:

For Research Use only	
Liquid	
The buffer composition is at the discretion of the manufacturer.	
Avoid repeated freeze-thaw cycles.	
-80 °C	

Store at -80°C.

12 months