

Datasheet for ABIN7552853 CIITA Protein (AA 1-1130) (His tag)



Overview

Quantity:	1 mg
Target:	CIITA
Protein Characteristics:	AA 1-1130
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CIITA protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant CIITA Protein expressed in mammalian cells.
Sequence:	MRCLAPRPAG SYLSEPQGSS QCATMELGPL EGGYLELLNS DADPLCLYHF YDQMDLAGEE
	EIELYSEPDT DTINCDQFSR LLCDMEGDEE TREAYANIAE LDQYVFQDSQ LEGLSKDIFK
	HIGPDEVIGE SMEMPAEVGQ KSQKRPFPEE LPADLKHWKP AEPPTVVTGS LLVRPVSDCS
	TLPCLPLPAL FNQEPASGQM RLEKTDQIPM PFSSSSLSCL NLPEGPIQFV PTISTLPHGL
	WQISEAGTGV SSIFIYHGEV PQASQVPPPS GFTVHGLPTS PDRPGSTSPF APSATDLPSM
	PEPALTSRAN MTEHKTSPTQ CPAAGEVSNK LPKWPEPVEQ FYRSLQDTYG AEPAGPDGIL
	VEVDLVQARL ERSSSKSLER ELATPDWAER QLAQGGLAEV LLAAKEHRRP RETRVIAVLG
	KAGQGKSYWA GAVSRAWACG RLPQYDFVFS VPCHCLNRPG DAYGLQDLLF SLGPQPLVAA
	DEVFSHILKR PDRVLLILDG FEELEAQDGF LHSTCGPAPA EPCSLRGLLA GLFQKKLLRG
	CTLLLTARPR GRLVQSLSKA DALFELSGFS MEQAQAYVMR YFESSGMTEH QDRALTLLRD
	RPLLLSHSHS PTLCRAVCQL SEALLELGED AKLPSTLTGL YVGLLGRAAL DSPPGALAEL
	AKLAWELGRR HQSTLQEDQF PSADVRTWAM AKGLVQHPPR AAESELAFPS FLLQCFLGAL

WLALSGEIKD KELPQYLALT PRKKRPYDNW LEGVPRFLAG LIFQPPARCL GALLGPSAAA
SVDRKQKVLA RYLKRLQPGT LRARQLLELL HCAHEAEEAG IWQHVVQELP GRLSFLGTRL
TPPDAHVLGK ALEAAGQDFS LDLRSTGICP SGLGSLVGLS CVTRFRAALS DTVALWESLQ
QHGETKLLQA AEEKFTIEPF KAKSLKDVED LGKLVQTQRT RSSSEDTAGE LPAVRDLKKL
EFALGPVSGP QAFPKLVRIL TAFSSLQHLD LDALSENKIG DEGVSQLSAT FPQLKSLETL
NLSQNNITDL GAYKLAEALP SLAASLLRLS LYNNCICDVG AESLARVLPD MVSLRVMDVQ
YNKFTAAGAQ QLAASLRRCP HVETLAMWTP TIPFSVQEHL QQQDSRISLR Sequence without
tag. The proposed Purification-Tag is based on experiences with the expression system, a
different complexity of the protein could make another tag necessary. In case you have a
special request, please contact us.
If you are looking for a specific domain and are interested in a partial protein or a different
isoform, please contact us regarding an individual offer.
Key Benefits:
 Made to order protein - from design to production - by highly experienced protein experts.
 Protein expressed in mammalian cells and purified in one-step affinity chromatography
The optimized expression system ensures reliability for intracellular, secreted and
transmembrane proteins.
State-of-the-art algorithm used for plasmid design (Gene synthesis).
This protein is a made-to-order protein and will be made for the first time for your order. Our
experts in the lab try to ensure that you receive soluble protein.
If you are not interested in a full length protein, please contact us for individual protein
fragments.
The big advantage of ordering our made-to-order proteins in comparison to ordering custom
made proteins from other companies is that there is no financial obligation in case the protein
cannot be expressed or purified.
> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
custom-made
CIITA
CIITA (CIITA Products)
MHC class II transactivator (CIITA) (EC 2.3.1) (EC 2.7.11.1),FUNCTION: Essential for

transcriptional activity of the HLA class II promoter, activation is via the proximal promoter (PubMed:8402893, PubMed:7749984, PubMed:17493635, PubMed:16600381). Does not bind DNA (PubMed:8402893, PubMed:7749984, PubMed:17493635, PubMed:16600381). May act in a coactivator-like fashion through protein-protein interactions by contacting factors binding to the proximal MHC class II promoter, to elements of the transcription machinery, or both PubMed:8402893, PubMed:7749984, (PubMed:17493635, PubMed:16600381). Alternatively it may activate HLA class II transcription by modifying proteins that bind to the MHC class II promoter (PubMed:8402893, PubMed:7749984, PubMed:17493635, PubMed:16600381). Also mediates enhanced MHC class I transcription, the promoter element requirements for CIITAmediated transcription are distinct from those of constitutive MHC class I transcription, and CIITA can functionally replace TAF1 at these genes. Activates CD74 transcription (PubMed:32855215). Exhibits intrinsic GTP-stimulated acetyltransferase activity (PubMed:11172716). Exhibits serine/threonine protein kinase activity: can phosphorylate the TFIID component TAF7, the RAP74 subunit of the general transcription factor TFIIF, histone H2B at 'Ser-37' and other histones (in vitro) (PubMed:24036077). Has antiviral activity against Ebola virus and coronaviruses, including SARS-CoV-2 (PubMed:32855215). Induces resistance by up-regulation of the p41 isoform of CD74, which blocks cathepsin-mediated cleavage of viral glycoproteins, thereby preventing viral fusion (PubMed:32855215). {ECO:0000269|PubMed:11172716, ECO:0000269|PubMed:16600381, ECO:0000269|PubMed:17493635, ECO:0000269|PubMed:24036077,

ECO:0000269|PubMed:32855215, ECO:0000269|PubMed:7749984,

ECO:0000269|PubMed:8402893}., FUNCTION: [Isoform 3]: Exhibits dominant-negative suppression of MHC class II gene expression. (ECO:0000269|PubMed:12919287).

Molecular Weight: 123.5 kDa

UniProt: P33076

Cancer Immune Checkpoints Pathways:

Application Details

We expect the protein to work for functional studies. As the protein has not been tested for **Application Notes:**

functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months