

Datasheet for ABIN7552856

CDC42SE1 Protein (AA 1-79) (Fc Tag)



Overview

Quantity:	1 mg
Target:	CDC42SE1
Protein Characteristics:	AA 1-79
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDC42SE1 protein is labelled with Fc Tag.

Product Details

Product Details	
Purpose:	Custom-made recombinant CDC42SE1 Protein expressed in mammalian cells.
Sequence:	MSEFWHKLGC CVVEKPQPKK KRRRIDRTMI GEPMNFVHLT HIGSGEMGAG DGLAMTGAVQ EQMRSKGNRD RPWSNSRGL Sequence without tag. The proposed Purification-Tag is based
	on experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	Protein expressed in mammalian cells and purified in one-step affinity chromatography
	The optimized expression system ensures reliability for intracellular, secreted and
	transmembrane proteins.
	 State-of-the-art algorithm used for plasmid design (Gene synthesis).

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPL Grade: custom-made Target Details Target: CDC42SE1 Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape	Troduct Details	
If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custorr made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPI Grade: Custom-made Target Details Target: CDC42SE1 Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1), FUNCTION. Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In a citizeted T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO.0000269 PubMed:10816584, ECO.0000269 PubMed:15840583, ECO.0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: O9NRR8 Application Details We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. For Research Use only		This protein is a made-to-order protein and will be made for the first time for your order. Our
fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPR Grade: custom-made Target Details Target: CDC42SE1 Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. (ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: Q9NR8 Application Details We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		experts in the lab try to ensure that you receive soluble protein.
The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPI Grade custom-made Target Details Target: CDC42SE1 Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. (ECC.0000269)PubMed:10816584, ECC.0000269)PubMed:15840583, ECC.0000269)PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Details Restrictions: For Research Use only		If you are not interested in a full length protein, please contact us for individual protein
made proteins from other companies is that there is no financial obligation in case the protectannot be expressed or purified. Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPI Grade: custom-made Target Details Target: CDC42SE1 (CDC42SE1 Products) Background: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. (ECC:0000269 PubMed:10816584, ECC:0000269 PubMed:15840583, ECC:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. For Research Use only		fragments.
cannot be expressed or purified. Purity: > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPI Grade: custom-made Target Details Target: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. (ECC:0000269 PubMed:10816584, ECC:0000269 PubMed:15840583, ECC:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		The big advantage of ordering our made-to-order proteins in comparison to ordering custom
Grade: custom-made Target Details Target: CDC42SE1 Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. For Research Use only		made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Target: CDC42SE1 Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. For Research Use only	Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Target: CDC42SE1 Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. (ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}). Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	Grade:	custom-made
Alternative Name: CDC42SE1 (CDC42SE1 Products) Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. (ECO:0000269)PubMed:10816584, ECO:0000269)PubMed:15840583, ECO:0000269)PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	Target Details	
Background: CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 pro 1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	Target:	CDC42SE1
1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	Alternative Name:	CDC42SE1 (CDC42SE1 Products)
downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	Background:	CDC42 small effector protein 1 (CDC42-binding protein SCIP1) (Small effector of CDC42 protein
changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		1),FUNCTION: Probably involved in the organization of the actin cytoskeleton by acting
immunological synapse. May play a role in early contractile events in phagocytosis in macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		downstream of CDC42, inducing actin filament assembly. Alters CDC42-induced cell shape
macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583, ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		changes. In activated T-cells, may play a role in CDC42-mediated F-actin accumulation at the
ECO:0000269 PubMed:17045588}. Molecular Weight: 8.9 kDa UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		immunological synapse. May play a role in early contractile events in phagocytosis in
Molecular Weight: UniProt: Q9NRR8 Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		macrophages. {ECO:0000269 PubMed:10816584, ECO:0000269 PubMed:15840583,
UniProt: Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only		ECO:0000269 PubMed:17045588}.
Application Details Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	Molecular Weight:	8.9 kDa
Application Notes: We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	UniProt:	Q9NRR8
functional studies yet we cannot offer a guarantee though. Restrictions: For Research Use only	Application Details	
Restrictions: For Research Use only	Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
		functional studies yet we cannot offer a guarantee though.
Handling	Restrictions:	For Research Use only
	Handling	
Format: Liquid	Format:	Liquid

Handling

Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months