

Datasheet for ABIN7553279 **CENPA Protein (AA 1-140) (His tag)**



Go to Product page

_					
	W	0	rv	10	W

CENPA AA 1-140
AA 1-140
Human
HEK-293 Cells
Recombinant
This CENPA protein is labelled with His tag.
SDS-PAGE (SDS), Western Blotting (WB)
Custom-made recombinat CENPA Protein expressed in mammalien cells.
MGPRRRSRKP EAPRRRSPSP TPTPGPSRRG PSLGASSHQH SRRRQGWLKE IRKLQKSTHL
LIRKLPFSRL AREICVKFTR GVDFNWQAQA LLALQEAAEA FLVHLFEDAY LLTLHAGRVT
LFPKDVQLAR RIRGLEEGLG Sequence without tag. The proposed Purification-Tag is based
on experiences with the expression system, a different complexity of the protein could make
another tag necessary. In case you have a special request, please contact us.
Key Benefits:
 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
R TI S C W LII LII COI K K

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target: CENPA

Alternative Name: CENPA (CENPA Products)

Background:

Histone H3-like centromeric protein A (Centromere autoantigen A) (Centromere protein A) (CENP-A), FUNCTION: Histone H3-like nucleosomal protein that is specifically found in centromeric nucleosomes (PubMed:7962047, PubMed:9024683, PubMed:11756469, PubMed:14667408, PubMed:15702419, PubMed:15475964, PubMed:15282608, PubMed:17651496, PubMed:19114591, PubMed:27499292, PubMed:20739937). Replaces conventional H3 in the nucleosome core of centromeric chromatin that serves as an assembly site for the inner kinetochore (PubMed:18072184). The presence of CENPA subtly modifies the nucleosome structure and the way DNA is wrapped around the nucleosome and gives rise to protruding DNA ends that are less well-ordered and rigid compared to nucleosomes containing histone H3 (PubMed:27499292, PubMed:26878239). May serve as an epigenetic mark that propagates centromere identity through replication and cell division (PubMed:15475964, PubMed:15282608, PubMed:26878239, PubMed:20739937, PubMed:21478274). Required for recruitment and assembly of kinetochore proteins, and as a consequence required for progress through mitosis, chromosome segregation and cytokinesis (PubMed:11756469, PubMed:14667408, PubMed:18072184, PubMed:23818633, PubMed:25556658, PubMed:27499292). {ECO:0000269|PubMed:11756469, ECO:0000269|PubMed:14667408, ECO:0000269|PubMed:15282608, ECO:0000269|PubMed:15475964, ECO:0000269|PubMed:15702419, ECO:0000269|PubMed:17651496,

ECO:0000269|PubMed:18072184, ECO:0000269|PubMed:19114591,

Target Details

- Target Betane		
	ECO:0000269 PubMed:21478274, ECO:0000269 PubMed:23818633, ECO:0000269 PubMed:25556658, ECO:0000269 PubMed:26878239, ECO:0000269 PubMed:27499292, ECO:0000269 PubMed:7962047, ECO:0000269 PubMed:9024683, ECO:0000305 PubMed:20739937}.	
Molecular Weight:	16.0 kDa	
UniProt:	P49450	
Pathways:	Chromatin Binding, Maintenance of Protein Location	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	