

Datasheet for ABIN755364

anti-CREM antibody (AA 251-361) (Biotin)

CREM

CREM (CREM Products)



Go to Product page

| _ | | | | | |
|---|-----|---|----|-------------|-----|
| | 1// | r | Vİ | \triangle | ۸/ |
| | V | | VI | | / V |

Target:

Alternative Name:

| Quantity: | 100 μL |
|---------------------------------------|--|
| Target: | CREM |
| Binding Specificity: | AA 251-361 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CREM antibody is conjugated to Biotin |
| Application: | ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |
| | |
| Product Details | |
| Product Details Immunogen: | KLH conjugated synthetic peptide derived from human CREM |
| | KLH conjugated synthetic peptide derived from human CREM |
| Immunogen: | |
| Immunogen: Isotype: | IgG |
| Immunogen: Isotype: Cross-Reactivity: | IgG Human, Mouse |

Target Details

| Background: | Synonyms: cAMP response element modulator, CREM-1, cAMP responsive element modulator, | |
|---------------------|--|--|
| | hCREM 2, hCREM2, ICER, Inducible cAMP early repressor, Inducible cAMP early repressor ICER, | |
| | MGC111110, MGC17881, MGC41893. | |
| | Background: CREM is a a bZIP transcription factor that binds to the cAMP responsive element | |
| | found in many viral and cellular promoters. It is derived from a multiexonic gene that encodes | |
| | both activators and antagonists of cAMP-inducible transcription by differential splicing. Splice | |
| | variants with antagonistic function lack 2 glutamine-rich domains and block cAMP-induced | |
| | transcription, whereas an isoform that includes these glutamine-rich domains is a | |
| | transcriptional activator. | |
| Gene ID: | 1390 | |
| UniProt: | Q03060 | |
| Pathways: | Retinoic Acid Receptor Signaling Pathway | |
| Application Details | | |
| Application Notes: | IHC-P 1:200-400 | |
| | IHC-F 1:100-500 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C for 12 months. | |
| Expiry Date: | 12 months | |
| | | |