

Datasheet for ABIN7553763  
**EIF3C Protein (AA 1-913) (His tag)**



[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	EIF3C
Protein Characteristics:	AA 1-913
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EIF3C protein is labelled with His tag.

## Product Details

Purpose:	Custom-made recombinant EIF3C Protein expressed in mammalian cells.
Sequence:	<p>MSRFFTTGSD SESESSLGSE ELVTKPVGGN YGKQPLLLSE DEEDTKRVVR SAKDKRFEEL</p> <p>TNLIRTIRNA MKIRDVTCKL EEFELLGKAY GKAKSIVDKE GVPRFYIRIL ADLEDYLNEL</p> <p>WEDKEGKKKM NKNNAKALST LRQKIRKYNR DFESHITSYK QNPEQSADED AEKNEEDSEG</p> <p>SSDEDEDEDG VSAATFLKKK SEAPSGESRK FLKKMDDEDE DSEDEDEDDED WDTGSTSSDS</p> <p>DSEEEEGKQT ALASRFLKKA PTDEDKKA EKKREDKAKK KHDRKSKRLD EEEEDNEGGE</p> <p>WERVRGGVPL VKEKPKMFAK GTEITHAVVI KKLNEILQAR GKKGTDRAAQ IELLQLLVQI</p> <p>AAENNLGEGV IVKIKFNIIA SLYDYNPNLA TYMKPEMWGK CLDCINELMD ILFANPNIFV</p> <p>GENILEESEN LHNADQPLRV RGCILTLVER MDEEFTKIMQ NTDPHSQEYV EHLKDEAQVC</p> <p>AIIERVQRYL EEKGTTEEVCI RIYLLRILHT YYKFDYKAHQ RQLTPPEGSS KSEQDQAENE</p> <p>GEDSAVLMER LCKYIYAKDR TDIRTCAIL CHIIYHHALHS RWYQARDLML MSHLQDNIQH</p> <p>ADPPVQILYN RTMVQLGICA FRQGLTKDAH NALLDIQSSG RAKELLGQGL LLRSLQERNQ</p> <p>EQEKVERRRRQ VPFHLHINLE LLECVYLVSA MLLEIPYMAA HESDARRRMI SKQFHHQLRV</p>

## Product Details

GERQPLLGP ESMREHVVA SKAMKMGDWK TCHSFIINEK MNGKVWDLFP EADKVRTMLV  
RKIQEESLRT YLFTYSSVYD SISMETLSDM FELDLPTVHS IISKMIINEE LMASLDQPTQ  
TVVMHRTEPT AQQNLALQLA EKLGSLENN ERVFDHKQGT YGGYFRDQKD GYRKNEGYMR  
RGGYRQQSQ TAY

**Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

**Specificity:** If you are looking for a specific domain and are interested in a partial protein or a different isoform, please contact us regarding an individual offer.

**Characteristics:** Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

**Purity:** > 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

**Grade:** custom-made

## Target Details

**Target:** EIF3C

**Alternative Name:** EIF3C ([EIF3C Products](#))

**Background:** Eukaryotic translation initiation factor 3 subunit C (eIF3c) (Eukaryotic translation initiation factor 3 subunit 8) (eIF3 p110),FUNCTION: Component of the eukaryotic translation initiation factor 3 (eIF-3) complex, which is required for several steps in the initiation of protein synthesis (PubMed:17581632, PubMed:25849773, PubMed:27462815). The eIF-3 complex associates with the 40S ribosome and facilitates the recruitment of eIF-1, eIF-1A, eIF-2:GTP:methionyl-

## Target Details

tRNAi and eIF-5 to form the 43S pre-initiation complex (43S PIC). The eIF-3 complex stimulates mRNA recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex is also required for disassembly and recycling of post-termination ribosomal complexes and subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to initiation (PubMed:17581632). The eIF-3 complex specifically targets and initiates translation of a subset of mRNAs involved in cell proliferation, including cell cycling, differentiation and apoptosis, and uses different modes of RNA stem-loop binding to exert either translational activation or repression (PubMed:25849773). {ECO:0000255|HAMAP-Rule:MF\_03002, ECO:0000269|PubMed:17581632, ECO:0000269|PubMed:25849773, ECO:0000269|PubMed:27462815}.

Molecular Weight:	105.3 kDa
UniProt:	<a href="#">Q99613</a>
Pathways:	<a href="#">Ribonucleoprotein Complex Subunit Organization</a>

## Application Details

Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months