

Datasheet for ABIN7553777

EHMT1 Protein (AA 1-1298) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	EHMT1
Protein Characteristics:	AA 1-1298
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EHMT1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat EHMT1 Protein expressed in mammalian cells.
Sequence:	<p>MAAADAEAVP ARGEPQQDCC VKTELLGEET PMAADEGSAE KQAGEAHMAA DGETNGSCEN</p> <p>SDASSHANAA KHTQDSARVN PQDGTNTLTR IAENGVSERD SEAAKQNHVT ADDFVQTSVI</p> <p>GSNGYILNKP ALQAQPLRTT STLASSLPGH AAKTLPGGAG KGRTPSAFPQ TPAAPPATLG</p> <p>EGSADTEDRK LPAPGADVKK HRARKTMPKS VVGLHAASKD PREVREARDH KEPKEEINKN</p> <p>ISDFGRQQLL PPFPSLHQSL PQNQCYMATT KSQTACLFPV LAAAVSRKKK RRMGTYSLVP</p> <p>KKKTKVLKQR TVIEMFKSIT HSTVGSKGEK DLGASSLHVN GESLEMDSD EDDSEEELEDD</p> <p>GHGAEQAAAF PTEDSRTSKE SMSEADRAQK MDGESEEEQE SVDTGEEEEG GDESDLSSSE</p> <p>SIKKKFLKRK GKTDSPWIKP ARKRRRRSRK KPSGALGSES YKSSAGSAEQ TAPGDSTGYM</p> <p>EVSLDSLRLR VKGILSSQAE GLANGPDVLE TDGLQEVPLC SCRMPKPSR EITTLANNQC</p> <p>MATESVDHEL GRCTNSVVKY ELMRPSNKAP LLVLCEDHRG RMVKHQCCPG CGYFCTAGNF</p> <p>MECQPESSIS HRFHKDCASR VNNASYCPHC GEESKAKEV TIAKADTTST VTPVPGQEKQ</p>

SALEGRADTT TGSAAGPPLS EDDKLQGAAS HVPEGFDPGTG PAGLGRPTPG LSQGPGETL
ESALIALDSE KPKKLRFHFK QLYFSARQGE LQKVLLMLVD GIDPNFKMEH QNKRSPLHAA
AEAGHVDICH MLVQAGANID TCSEDQRTPL MEAAENNHLE AVKYLIKAGA LVDPKDAEGS
TCLHLAAKKG HYEVVQYLLS NGQMDVNCQD DGGWTPMIWA TEYKHVDLVK LLLSKGSDIN
IRDNEENICL HWAAFSGCVD IAEILLAAC DLHAVNIHGD SPLHIAAREN RYDCVVLFLS
RDSVTLKNK EGETPLQCAS LNSQVWSALQ MSKALQDSAP DRPSPVERIV SRDIARGYER
IPIPCVNAVD SEPCPSNYKY VSQNCVTSPM NIDRNITHLQ YCVCIDDCSS SNCMCGQLSM
RCWYDKDGRL LPEFNMAEPP LIFECSNACS CWRNCRNRVV QNGLRARLQL YRTRDMGWGV
RSLQDIPPGT FVCEYVGELI SDSEADVREE DSYLFDLDNK DGEVYCIDAR FYGNVSRFIN
HHCEPNLVPV RVFMAHQDLR FPRIAFFSTR LIEAGEQLGF DYGERFWDIK GKLFSCRCGS
PKCRHSSAAL AQRQASAAQE AQEDGLPDTS SAAAADPL **Sequence without tag. The proposed
Purification-Tag is based on experiences with the expression system, a different complexity
of the protein could make another tag necessary. In case you have a special request, please
contact us.**

Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none">• Made to order protein - from design to production - by highly experienced protein experts.• Protein expressed in mammalian cells and purified in one-step affinity chromatography• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.• State-of-the-art algorithm used for plasmid design (Gene synthesis). <p>This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.</p> <p>If you are not interested in a full length protein, please contact us for individual protein fragments.</p> <p>The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p>
------------------	---

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made

Target Details

Target:	EHMT1
---------	-------

Target Details

Alternative Name:	EHMT1 (EHMT1 Products)
Background:	<p>Histone-lysine N-methyltransferase EHMT1 (EC 2.1.1.-) (EC 2.1.1.367) (Euchromatic histone-lysine N-methyltransferase 1) (Eu-HMTase1) (G9a-like protein 1) (GLP) (GLP1) (Histone H3-K9 methyltransferase 5) (H3-K9-HMTase 5) (Lysine N-methyltransferase 1D),FUNCTION: Histone methyltransferase that specifically mono- and dimethylates 'Lys-9' of histone H3 (H3K9me1 and H3K9me2, respectively) in euchromatin. H3K9me represents a specific tag for epigenetic transcriptional repression by recruiting HP1 proteins to methylated histones. Also weakly methylates 'Lys-27' of histone H3 (H3K27me). Also required for DNA methylation, the histone methyltransferase activity is not required for DNA methylation, suggesting that these 2 activities function independently. Probably targeted to histone H3 by different DNA-binding proteins like E2F6, MGA, MAX and/or DP1. During G0 phase, it probably contributes to silencing of MYC- and E2F-responsive genes, suggesting a role in G0/G1 transition in cell cycle. In addition to the histone methyltransferase activity, also methylates non-histone proteins: mediates dimethylation of 'Lys-373' of p53/TP53. Represses the expression of mitochondrial function-related genes, perhaps by occupying their promoter regions, working in concert with probable chromatin reader BAZ2B (By similarity). {ECO:0000250 UniProtKB:Q5DW34, ECO:0000269 PubMed:12004135, ECO:0000269 PubMed:20118233}.</p>
Molecular Weight:	141.5 kDa
UniProt:	Q9H9B1

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Handling

Expiry Date: 12 months