

Datasheet for ABIN7553807  
**ERCC6 Protein (AA 1-1493) (His tag)**



[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	ERCC6
Protein Characteristics:	AA 1-1493
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ERCC6 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

## Product Details

Purpose:	Custom-made recombinat ERCC6 Protein expressed in mammalian cells.
Sequence:	MPNEGIPHSS QTQEQLDCLQS QPVSNNNEEMA IKQESGGDGE VEEYLSFRSV GDGLSTSAVG CASAAPRRGP ALLHIDRHQI QAVEPSAAL ELQGLGVDVY DQDVLEQGV LQQVDNAIHEA SRASQLVDVE KEYSVLDDL TSCTSLRQI NKIIEQLSPQ AATSRDINRK LDSVKRQKYN KEQQLKKITA KQKHLQAILG GAEVKIELDH ASLEEDAEPG PSSLGSMMLP VQETAWEELI RTGQMPFPGT QIPQKQEKPP RKIMLNEASG FEKYLADQAK LSFERKKQGC NKRAARKAPA PVTTPAPVQN KNKPNKKARV LSKKEERLKK HIKKLQKRAL QFQGVGLPK ARRPWESDMR PEAEGDSEGE ESEYFPTEEE EEEEEDEVEG AEAADLSGDGT DYELKPLPKG GKRQKKVPVQ EIDDDFFPSS GEEAEAASVG EGGGGGRKVG RYRDDGDEDY YQQLRRWLNK LRLQDKEKRL KLEDDSEESD AEFDEGFKVP GFLFKLKFY QQTGVRWLWE LHCQQAGGIL GDEMGLGKTI QIIAFLAGLS YSKIRTRGSN YRFEGLGPTV IVCPTTVMHQ WVKEFHTWWP PFRVAILHET GSYTHKKEKL IRDVAHCHGI LITSYSYIRL MQDDISRYDW HYVILDEGHK IRNPNAAVTL

ACKQFRTPHR IILSGSPMQN NLRELWSLFD FIFPGKLGTL PVFMEQFSVP ITMGGYSNAS  
PVQVKTAYKC ACVLRDTINP YLLRRMKSDV KMSLSLPDKN EQVLCRLTD EQHKVYQNFV  
DSKEVYRILN GEMQIFSGLI ALRKICNHPD LFSGGPKNLK GLPDDELEED QFGYWKRSBK  
MIVVESLLKI WHKQGQRVLL FSQSRQMLDI LEVFLRAQKY TYLKMDGTTT IASRQLITR  
YNEDTSIFVF LLTTRVGGLG VNLTGANRVV IYDPDWNPT DTQARERAWR IGQKKQVTVY  
RLLTAGTIEE KIYHRQIFKQ FLTNRVLKDP KQRRFFKSND LYELFTLTSP DASQSTETSA  
IFAGTGSVDVQ TPKCHLKRRRI QPAFGADHDV PKRKKFPASN ISVNDATSSE EKSEAKGAEV  
NAVTSNRSDP LKDDPHMSSN VTSNDRLGEE TNAVSGPEEL SVISNGECS NSSGTGKTSM  
PSGDESIDEK LGLSYKRERP SQAQTEAFWE NKQMENNFKY HSKSKTKHHSV AEEETLEKHL  
RPKQKPKNSK HCRDAKFEGT RIPHLVKKRR YQKQDSENKS EAKEQSNDDY VLEKLFKKS  
GVHSMKHDA IMDGASPDYV LVEAEANRVA QDALKALRLS RQRCLGAVSG VPTWTGHRGI  
SGAPAGKKS RFGKRNNSNFV VQHPSTSTPT EKQDQDGMKK EGKDNVPEHF SGRAEDADSS  
SGPLASSLL AKMRARNHLI LPERLESESG HLQEASALLP TTEHDDLVE MRNFIAFQAH  
TDGQASTREI LQEFESKLSA SQSCVFRELL RNLCFHRSTS GGEGIWKLKP EYC **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

Characteristics:

Key Benefits:

- Made to order protein - from design to production - by highly experienced protein experts.
- Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

---

Purity: > 90 % as determined by Bis-Tris Page, Western Blot

---

Grade: custom-made

## Target Details

---

Target: ERCC6

---

Alternative Name: ERCC6 ([ERCC6 Products](#))

---

Background: DNA excision repair protein ERCC-6 (EC 3.6.4.-) (ATP-dependent helicase ERCC6) (Cockayne syndrome protein CSB),FUNCTION: Essential factor involved in transcription-coupled nucleotide excision repair which allows RNA polymerase II-blocking lesions to be rapidly removed from the transcribed strand of active genes (PubMed:20541997, PubMed:26620705, PubMed:16246722). Upon DNA-binding, it locally modifies DNA conformation by wrapping the DNA around itself, thereby modifying the interface between stalled RNA polymerase II and DNA (PubMed:15548521). It is required for transcription-coupled repair complex formation (PubMed:16916636). It recruits the CSA complex (DCX(ERCC8) complex), nucleotide excision repair proteins and EP300 to the sites of RNA polymerase II-blocking lesions (PubMed:16916636). Plays an important role in regulating the choice of the DNA double-strand breaks (DSBs) repair pathway and G2/M checkpoint activation, DNA-dependent ATPase activity is essential for this function (PubMed:25820262). Regulates the DNA repair pathway choice by inhibiting non-homologous end joining (NHEJ), thereby promoting the homologous recombination (HR)-mediated repair of DSBs during the S/G2 phases of the cell cycle (PubMed:25820262). Mediates the activation of the ATM- and CHEK2-dependent DNA damage responses thus preventing premature entry of cells into mitosis following the induction of DNA DSBs (PubMed:25820262). Acts as a chromatin remodeler at DSBs, DNA-dependent ATPase-dependent activity is essential for this function. Remodels chromatin by evicting histones from chromatin flanking DSBs, limiting RIF1 accumulation at DSBs thereby promoting BRCA1-mediated HR (PubMed:29203878). Required for stable recruitment of ELOA and CUL5 to DNA damage sites (PubMed:28292928). Involved in UV-induced translocation of ERCC8 to the nuclear matrix (PubMed:26620705). Essential for neuronal differentiation and neuritogenesis, regulates transcription and chromatin remodeling activities required during neurogenesis (PubMed:24874740). {ECO:0000269|PubMed:15548521, ECO:0000269|PubMed:16246722, ECO:0000269|PubMed:16916636, ECO:0000269|PubMed:20541997, ECO:0000269|PubMed:22483866, ECO:0000269|PubMed:24874740, ECO:0000269|PubMed:25820262, ECO:0000269|PubMed:26620705, ECO:0000269|PubMed:28292928, ECO:0000269|PubMed:29203878}.

---

Molecular Weight: 168.4 kDa

---

UniProt: [Q03468](#)

---

Pathways: [DNA Damage Repair](#), [Chromatin Binding](#)

---

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Buffer: The buffer composition is at the discretion of the manufacturer.

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: -80 °C

---

Storage Comment: Store at -80°C.

---

Expiry Date: 12 months

---