

Datasheet for ABIN7553878 **EYA2 Protein (AA 1-538) (His tag)**



Overview

Quantity:	1 mg
Target:	EYA2
Protein Characteristics:	AA 1-538
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EYA2 protein is labelled with His tag.

Product Details	
Purpose:	Custom-made recombinant EYA2 Protein expressed in mammalian cells.
Sequence:	MVELVISPSL TVNSDCLDKL KFNRADAAVW TLSDRQGITK SAPLRVSQLF SRSCPRVLPR
	QPSTAMAAYG QTQYSAGIQQ ATPYTAYPPP AQAYGIPSYS IKTEDSLNHS PGQSGFLSYG
	SSFSTSPTGQ SPYTYQMHGT TGFYQGGNGL GNAAGFGSVH QDYPSYPGFP QSQYPQYYGS
	SYNPPYVPAS SICPSPLSTS TYVLQEASHN VPNQSSESLA GEYNTHNGPS TPAKEGDTDR
	PHRASDGKLR GRSKRSSDPS PAGDNEIERV FVWDLDETII IFHSLLTGTF ASRYGKDTTT
	SVRIGLMMEE MIFNLADTHL FFNDLEDCDQ IHVDDVSSDD NGQDLSTYNF SADGFHSSAP
	GANLCLGSGV HGGVDWMRKL AFRYRRVKEM YNTYKNNVGG LIGTPKRETW LQLRAELEAL
	TDLWLTHSLK ALNLINSRPN CVNVLVTTTQ LIPALAKVLL YGLGSVFPIE NIYSATKTGK
	ESCFERIMQR FGRKAVYVVI GDGVEEEQGA KKHNMPFWRI SCHADLEALR HALELEYL Sequence
	without tag. The proposed Purification-Tag is based on experiences with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.

Product Details

Product Details	
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	EYA2
Alternative Name:	EYA2 (EYA2 Products)
Background:	Eyes absent homolog 2 (EC 3.1.3.48),FUNCTION: Functions both as protein phosphatase and as transcriptional coactivator for SIX1, and probably also for SIX2, SIX4 and SIX5 (PubMed:12500905, PubMed:23435380). Tyrosine phosphatase that dephosphorylates 'Tyr-142' of histone H2AX (H2AXY142ph) and promotes efficient DNA repair via the recruitment of DNA repair complexes containing MDC1. 'Tyr-142' phosphorylation of histone H2AX plays a
	central role in DNA repair and acts as a mark that distinguishes between apoptotic and repair

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7553878 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

ECO:0000269|PubMed:19351884, ECO:0000269|PubMed:21706047,

responses to genotoxic stress (PubMed:19351884). Its function as histone phosphatase may

contribute to its function in transcription regulation during organogenesis. Plays an important

role in hypaxial muscle development together with SIX1 and DACH2, in this it is functionally

redundant with EYA1 (PubMed:12500905). {ECO:0000269|PubMed:12500905,

Target Details

Expiry Date:

12 months

rarget Details	
	ECO:0000269 PubMed:23435380}.
Molecular Weight:	59.2 kDa
UniProt:	000167
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.