

Datasheet for ABIN7554060 PTPLA Protein (AA 1-288) (His tag)



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	1 mg
Target:	PTPLA
Protein Characteristics:	AA 1-288
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PTPLA protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Purpose:	Custom-made recombinat HACD1 Protein expressed in mammalien cells.
Sequence:	MGRLTEAAAA GSGSRAAGWA GSPPTLLPLS PTSPRCAATM ASSDEDGTNG GASEAGEDRE APGERRRLGV LATAWLTFYD IAMTAGWLVL AIAMVRFYME KGTHRGLYKS IQKTLKFFQT FALLEIVHCL IGIVPTSVIV TGVQVSSRIF MVWLITHSIK PIQNEESVVL FLVAWTVTEI TRYSFYTFSL

Characteristics:

Key Benefits:

contact us.

· Made to order protein - from design to production - by highly experienced protein experts.

LDHLPYFIKW ARYNFFIILY PVGVAGELLT IYAALPHVKK TGMFSIRLPN KYNVSFDYYY

FLLITMASYI PLFPQLYFHM LRQRRKVLHG EVIVEKDD Sequence without tag. The proposed

Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	PTPLA
Alternative Name:	HACD1 (PTPLA Products)
Background:	Very-long-chain (3R)-3-hydroxyacyl-CoA dehydratase 1 (EC 4.2.1.134) (3-hydroxyacyl-CoA
	dehydratase 1) (HACD1) (Cementum-attachment protein) (CAP) (Protein-tyrosine phosphatase-
	like member A),FUNCTION: [Isoform 1]: Catalyzes the third of the four reactions of the long-
	chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process,
	allows the addition of two carbons to the chain of long- and very long-chain fatty acids/VLCFAs
	per cycle. This enzyme catalyzes the dehydration of the 3-hydroxyacyl-CoA intermediate into
	trans-2,3-enoyl-CoA, within each cycle of fatty acid elongation. Thereby, it participates in the
	production of VLCFAs of different chain lengths that are involved in multiple biological
	processes as precursors of membrane lipids and lipid mediators.
	{ECO:0000269 PubMed:18554506}., FUNCTION: [Isoform 2]: In tooth development, may play a
	role in the recruitment and the differentiation of cells that contribute to cementum formation.
	May also bind hydroxyapatite and regulate its crystal nucleation to form cementum.
	{ECO:0000269 PubMed:22067203}.
Molecular Weight:	32.4 kDa

Target Details

UniProt:	B0YJ81	
Pathways:	Regulation of long-term Neuronal Synaptic Plasticity	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	