

## Datasheet for ABIN7554229

## CAMKII gamma Protein (AA 1-558) (His tag)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	1 mg
Target:	CAMKII gamma (CAMK2G)
Protein Characteristics:	AA 1-558
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CAMKII gamma protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

## **Product Details**

Purpose:	Custom-made recombinat CAMK2G Protein expressed in mammalien cells.
Sequence:	MATTATCTRF TDDYQLFEEL GKGAFSVVRR CVKKTSTQEY AAKIINTKKL SARDHQKLER
	EARICRLLKH PNIVRLHDSI SEEGFHYLVF DLVTGGELFE DIVAREYYSE ADASHCIHQI
	LESVNHIHQH DIVHRDLKPE NLLLASKCKG AAVKLADFGL AIEVQGEQQA WFGFAGTPGY
	LSPEVLRKDP YGKPVDIWAC GVILYILLVG YPPFWDEDQH KLYQQIKAGA YDFPSPEWDT
	VTPEAKNLIN QMLTINPAKR ITADQALKHP WVCQRSTVAS MMHRQETVEC LRKFNARRKL
	KGAILTTMLV SRNFSAAKSL LNKKSDGGVK KRKSSSSVHL MPQSNNKNSL VSPAQEPAPL
	QTAMEPQTTV VHNATDGIKG STESCNTTTE DEDLKGRVPE GRSSRDRTAP SAGMQPQPSL
	CSSAMRKQEI IKITEQLIEA INNGDFEAYT KICDPGLTSF EPEALGNLVE GMDFHKFYFE
	NLLSKNSKPI HTTILNPHVH VIGEDAACIA YIRLTQYIDG QGRPRTSQSE ETRVWHRRDG
	KWLNVHYHCS GAPAAPLQ Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make

	another tag necessary. In case you have a special request, please contact us.		
Characteristics:	Key Benefits:		
	Made to order protein - from design to production - by highly experienced protein experts.		
	<ul> <li>Protein expressed in mammalien cells and purified in one-step affinity chromatography</li> </ul>		
	<ul> <li>The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li> </ul>		
	State-of-the-art algorithm used for plasmid design (Gene synthesis).		
	This protein is a made-to-order protein and will be made for the first time for your order. Our		
	experts in the lab try to ensure that you receive soluble protein.		
	If you are not interested in a full length protein, please contact us for individual protein		
	fragments.		
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom		
	made proteins from other companies is that there is no financial obligation in case the protein		
	cannot be expressed or purified.		
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot		
Grade:	custom-made		
Target Details			
Target:	CAMKII gamma (CAMK2G)		
Alternative Name:	CAMK2G (CAMK2G Products)		
Background:	Calcium/calmodulin-dependent protein kinase type II subunit gamma (CaM kinase II subunit		
	gamma) (CaMK-II subunit gamma) (EC 2.7.11.17),FUNCTION: Calcium/calmodulin-dependent		
	protein kinase that functions autonomously after Ca(2+)/calmodulin-binding and		
	autophosphorylation, and is involved in sarcoplasmic reticulum Ca(2+) transport in skeletal		
	muscle and may function in dendritic spine and synapse formation and neuronal plasticity		
	(PubMed:16690701). In slow-twitch muscles, is involved in regulation of sarcoplasmic		
	reticulum (SR) Ca(2+) transport and in fast-twitch muscle participates in the control of Ca(2+)		
	release from the SR through phosphorylation of the ryanodine receptor-coupling factor triadin		
	(PubMed:16690701). In the central nervous system, it is involved in the regulation of neurite		
	, , , , , , , , , , , , , , , , , , , ,		

formation and arborization (PubMed:30184290). It may participate in the promotion of dendritic

spine and synapse formation and maintenance of synaptic plasticity which enables long-term

potentiation (LTP) and hippocampus-dependent learning. In response to interferon-gamma

## Target Details

- Target Betane		
	(IFN-gamma) stimulation, catalyzes phosphorylation of STAT1, stimulating the JAK-STAT signaling pathway (By similarity). {ECO:0000250 UniProtKB:Q923T9, ECO:0000269 PubMed:16690701, ECO:0000269 PubMed:30184290}.	
Molecular Weight:	62.6 kDa	
UniProt:	Q13555	
Pathways:	WNT Signaling, Interferon-gamma Pathway, Hormone Transport, Myometrial Relaxation and Contraction, Regulation of long-term Neuronal Synaptic Plasticity	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	