

Datasheet for ABIN7554269 KDM1B Protein (AA 1-822) (His tag)



Overview

Quantity:	1 mg
Target:	KDM1B
Protein Characteristics:	AA 1-822
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KDM1B protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant KDM1B Protein expressed in mammalian cells.
Sequence:	MATPRGRTKK KASFDHSPDS LPLRSSGRQA KKKATETTDE DEDGGSEKKY RKCEKAGCTA
	TCPVCFASAS ERCAKNGYTS RWYHLSCGEH FCNECFDHYY RSHKDGYDKY TTWKKIWTSN
	GKTEPSPKAF MADQQLPYWV QCTKPECRKW RQLTKEIQLT PQIAKTYRCG MKPNTAIKPE
	TSDHCSLPED LRVLEVSNHW WYSMLILPPL LKDSVAAPLL SAYYPDCVGM SPSCTSTNRA
	AATGNASPGK LEHSKAALSV HVPGMNRYFQ PFYQPNECGK ALCVRPDVME LDELYEFPEY
	SRDPTMYLAL RNLILALWYT NCKEALTPQK CIPHIIVRGL VRIRCVQEVE RILYFMTRKG
	LINTGVLSVG ADQYLLPKDY HNKSVIIIGA GPAGLAAARQ LHNFGIKVTV LEAKDRIGGR
	VWDDKSFKGV TVGRGAQIVN GCINNPVALM CEQLGISMHK FGERCDLIQE GGRITDPTID
	KRMDFHFNAL LDVVSEWRKD KTQLQDVPLG EKIEEIYKAF IKESGIQFSE LEGQVLQFHL
	SNLEYACGSN LHQVSARSWD HNEFFAQFAG DHTLLTPGYS VIIEKLAEGL DIQLKSPVQC
	IDYSGDEVQV TTTDGTGYSA QKVLVTVPLA LLQKGAIQFN PPLSEKKMKA INSLGAGIIE
	KIALQFPYRF WDSKVQGADF FGHVPPSASK RGLFAVFYDM DPQKKHSVLM SVIAGEAVAS

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7554269 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

Specificity:	VRTLDDKQVL QQCMATLREL FKEQEVPDPT KYFVTRWSTD PWIQMAYSFV KTGGSGEAYD IIAEDIQGTV FFAGEATNRH FPQTVTGAYL SGVREASKIA AF Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
opconicity.	isoform, please contact us regarding an individual offer.
Characteristics:	 Key Benefits: Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. If you are not interested in a full length protein, please contact us for individual protein fragments. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made

Target Details

Target:	KDM1B
Alternative Name:	KDM1B (KDM1B Products)
Background:	Lysine-specific histone demethylase 2 (EC 1.14.99.66) (Flavin-containing amine oxidase
	domain-containing protein 1) (Lysine-specific histone demethylase 1B),FUNCTION: Histone
	demethylase that demethylates 'Lys-4' of histone H3, a specific tag for epigenetic
	transcriptional activation, thereby acting as a corepressor. Required for de novo DNA
	methylation of a subset of imprinted genes during oogenesis. Acts by oxidizing the substrate by
	FAD to generate the corresponding imine that is subsequently hydrolyzed. Demethylates both

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7554269 | 03/28/2025 | Copyright antibodies-online. All rights reserved.

	mono- and di-methylated 'Lys-4' of histone H3. Has no effect on tri-methylated 'Lys-4', mono-, di- or tri-methylated 'Lys-9', mono-, di- or tri-methylated 'Lys-27', mono-, di- or tri-methylated 'Lys-36' of histone H3, or on mono-, di- or tri-methylated 'Lys-20' of histone H4. Alone, it is unable to demethylate H3K4me on nucleosomes and requires the presence of GLYR1 to achieve such activity, they form a multifunctional enzyme complex that modifies transcribed chromatin and facilitates Pol II transcription through nucleosomes (PubMed:30970244).
	{ECO:0000269 PubMed:23260659, ECO:0000269 PubMed:23357850,
	ECO:0000269 PubMed:30970244}.
Molecular Weight:	92.1 kDa
UniProt:	Q8NB78
Pathways:	Warburg Effect
Application Details	
Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for
	functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Handling Format:	Liquid
	Liquid The buffer composition is at the discretion of the manufacturer.
Format:	
Format: Buffer:	The buffer composition is at the discretion of the manufacturer.
Format: Buffer: Handling Advice:	The buffer composition is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles.