Datasheet for ABIN7554518

MEF2C Protein (AA 1-473) (His tag)

Go to Product page

Overview

Quantity:	1 mg
Target:	MEF2C
Protein Characteristics:	AA 1-473
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MEF2C protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat MEF2C Protein expressed in mammalien cells.
Sequence:	MGRKKIQITR IMDERNRQVT FTKRKFGLMK KAYELSVLCD CEIALIIFNS TNKLFQYAST DMDKVLLKYT EYNEPHESRT NSDIVETLRK KGLNGCDSPD PDADDSVGHS PESEDKYRKI NEDIDLMISR QRLCAVPPPN FEMPVSIPVS SHNSLVYSNP VSSLGNPNLL PLAHPSLQRN SMSPGVTHRP PSAGNTGGLM GGDLTSGAGT SAGNGYGNPR NSPGLLVSPG NLNKNMQAKS PPPMNLGMNN RKPDLRVLIP PGSKNTMPSV SEDVDLLLNQ RINNSQSAQS LATPVVSVAT PTLPGQGMGG YPSAISTTYG TEYSLSSADL SSLSGFNTAS ALHLGSVTGW QQQHLHNMPP SALSQLGACT STHLSQSSNL SLPSTQSLNI KSEPVSPPRD RTTTPSRYPQ HTRHEAGRSP VDSLSSCSSS YDGSDREDHR NEFHSPIGLT RPSPDERESP SVKRMRLSEG WAT **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Product Details

Characteristics:	Key Benefits:
	• Made to order protein - from design to production - by highly experienced protein experts.
	• Protein expressed in mammalien cells and purified in one-step affinity chromatography
	• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
	• State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made

Target Details

Target:	MEF2C
Alternative Name:	MEF2C (MEF2C Products)
Background:	Myocyte-specific enhancer factor 2C (Myocyte enhancer factor 2C),FUNCTION: Transcription activator which binds specifically to the MEF2 element present in the regulatory regions of many muscle-specific genes. Controls cardiac morphogenesis and myogenesis, and is also involved in vascular development. Enhances transcriptional activation mediated by SOX18. Plays an essential role in hippocampal-dependent learning and memory by suppressing the number of excitatory synapses and thus regulating basal and evoked synaptic transmission. Crucial for normal neuronal development, distribution, and electrical activity in the neocortex. Necessary for proper development of megakaryocytes and platelets and for bone marrow B-lymphopoiesis. Required for B-cell survival and proliferation in response to BCR stimulation, efficient IgG1 antibody responses to T-cell-dependent antigens and for normal induction of germinal center B-cells. May also be involved in neurogenesis and in the development of cortical architecture (By similarity). Isoforms that lack the repressor domain are more active than isoform 1. {ECO:0000250|UniProtKB:Q8CFN5, ECO:0000269|PubMed:11904443,

Target Details

	ECO:0000269|PubMed:15340086, ECO:0000269|PubMed:15831463, ECO:0000269|PubMed:15834131, ECO:0000269|PubMed:9069290, ECO:0000269|PubMed:9384584}.
Molecular Weight:	51.2 kDa
UniProt:	Q06413
Pathways:	Neurotrophin Signaling Pathway, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Carbohydrate Homeostasis, Chromatin Binding, Regulation of Muscle Cell Differentiation, Skeletal Muscle Fiber Development, Toll-Like Receptors Cascades, BCR Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months