

Datasheet for ABIN7554559 **MEOX1 Protein (AA 1-254) (His tag)**



Overview

Quantity:	1 mg
Target:	MEOX1
Protein Characteristics:	AA 1-254
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MEOX1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Purpose:	Custom-made recombinat MEOX1 Protein expressed in mammalien cells.
Sequence:	MDPAASSCMR SLQPPAPVWG CLRNPHSEGN GASGLPHYPP TPFSFHQKPD FLATATAAYP
	DFSASCLAAT PHSLPQEEHI FTEQHPAFPQ SPNWHFPVSD ARRRPNSGPA GGSKEMGTSS
	LGLVDTTGGP GDDYGVLGST ANETEKKSSR RRKESSDNQE NRGKPEGSSK ARKERTAFTK
	EQLRELEAEF AHHNYLTRLR RYEIAVNLDL SERQVKVWFQ NRRMKWKRVK GGQPISPNGQ
	DPEDGDSTAS PSSE Sequence without tag. The proposed Purification-Tag is based on
	experiences with the expression system, a different complexity of the protein could make
	another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	 Protein expressed in mammalien cells and purified in one-step affinity chromatography
	 The optimized expression system ensures reliability for intracellular, secreted and

transmembrane proteins.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	MEOX1
Alternative Name:	MEOX1 (MEOX1 Products)
Background:	Homeobox protein MOX-1 (Mesenchyme homeobox 1),FUNCTION: Mesodermal transcription
	factor that plays a key role in somitogenesis and is specifically required for sclerotome
	development. Required for maintenance of the sclerotome polarity and formation of the cranio-
	cervical joints (PubMed:23290072, PubMed:24073994). Binds specifically to the promoter of
	target genes and regulates their expression. Activates expression of NKX3-2 in the sclerotome.
	Activates expression of CDKN1A and CDKN2A in endothelial cells, acting as a regulator of
	vascular cell proliferation. While it activates CDKN1A in a DNA-dependent manner, it activates
	CDKN2A in a DNA-independent manner. Required for hematopoietic stem cell (HSCs) induction
	via its role in somitogenesis: specification of HSCs occurs via the deployment of a specific
	endothelial precursor population, which arises within a sub-compartment of the somite named
	endotome. {ECO:0000250 UniProtKB:F1Q4R9, ECO:0000250 UniProtKB:P32442,
	ECO:0000269 PubMed:23290072, ECO:0000269 PubMed:24073994}.
Molecular Weight:	28.0 kDa
UniProt:	P50221
Pathways:	Chromatin Binding

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months