

Datasheet for ABIN7554690

## Nibrin Protein (NBN) (AA 1-754) (His tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	Nibrin (NBN)
Protein Characteristics:	AA 1-754
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Nibrin protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Purpose:	Custom-made recombinat NBN Protein expressed in mammalian cells.
Sequence:	<p>MWKLPAAGP AGGEPYRLLT GVEYVVGKRN CAILIENDQS ISRNHAVLTA NFSVTNLSQT  DEIPVLTLKD NSKYGTFVNE EKMQNGFSRT LKSGDGITFG VFGSKFRIEY EPLVACSSCL  DVSGKTALNQ AILQLGGFTV NNWTEECTHL VMVSVKVTIK TICALICGRP IVKPEYFTEF  LKAVESKKQP PQIESFYPL DEPSIGSKNV DLSGRQERKQ IFKGKTFIFL NAKQHKKLSS  AVVFGGGEAR LITEENEEH NFFLAPGTCV VDTGITNSQT LIPDCQKKWI QSIMDMLQRQ  GLRPIPEAEI GLAVIFMTTK NYCDPQGHPS TGLKTTTPGP SLSQGVSVDE KLMPSPVNT  TTYVADTESE QADTWDLSE PKEIKVSKME QKFRMLSQDA PTVKESCKTS SNNNSMVSNT  LAKMRIPNYQ LSPTKLPSIN KSKDRASQQQ QTNSIRNYFQ PSTKKRERDE ENQEMSSCKS  ARIETSCSL EQTPATPSL WKNKEQHLSE NEPVDNTSDN NLFTDIDLKS IVKNSASKSH  AAEKLRSNKK REMDDVAIED EVLEQLFKDT KPELEIDVKV QKQEEVDNVR KRPRMDIETN  DTFSDEAVPE SSKISQENEI GKKRELKEDS LWSAKEISNN DKLQDDSEML PKKLLLTEFR</p>

SLVIKNSTSR NPSGINDDYG QLKNFKKFKK VTYPGAGKLP HIIGGSDLIA HHARKNTELE  
EWLRQEMEVQ NQHAKEESLA DDLFRYNPYL KRRR **Sequence without tag. The proposed Purification-Tag is based on experiences with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"><li>• Made to order protein - from design to production - by highly experienced protein experts.</li><li>• Protein expressed in mammalian cells and purified in one-step affinity chromatography</li><li>• The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.</li><li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul> <p>This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.</p> <p>If you are not interested in a full length protein, please contact us for individual protein fragments.</p> <p>The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p>
------------------	---

Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
---------	---

Grade:	custom-made
--------	-------------

Target Details

Target:	Nibrin (NBN)
Alternative Name:	NBN ( <a href="#">NBN Products</a> )
Background:	<p>Nibrin (Cell cycle regulatory protein p95) (Nijmegen breakage syndrome protein 1),FUNCTION: Component of the MRE11-RAD50-NBN (MRN complex) which plays a critical role in the cellular response to DNA damage and the maintenance of chromosome integrity. The complex is involved in double-strand break (DSB) repair, DNA recombination, maintenance of telomere integrity, cell cycle checkpoint control and meiosis. The complex possesses single-strand endonuclease activity and double-strand-specific 3'-5' exonuclease activity, which are provided by MRE11. RAD50 may be required to bind DNA ends and hold them in close proximity. NBN modulate the DNA damage signal sensing by recruiting PI3/PI4-kinase family members ATM,</p>

## Target Details

ATR, and probably DNA-PKcs to the DNA damage sites and activating their functions. It can also recruit MRE11 and RAD50 to the proximity of DSBs by an interaction with the histone H2AX. NBN also functions in telomere length maintenance by generating the 3' overhang which serves as a primer for telomerase dependent telomere elongation. NBN is a major player in the control of intra-S-phase checkpoint and there is some evidence that NBN is involved in G1 and G2 checkpoints. The roles of NBS1/MRN encompass DNA damage sensor, signal transducer, and effector, which enable cells to maintain DNA integrity and genomic stability. Forms a complex with RBBP8 to link DNA double-strand break sensing to resection. Enhances AKT1 phosphorylation possibly by association with the mTORC2 complex.

{ECO:0000269|PubMed:10888888, ECO:0000269|PubMed:15616588, ECO:0000269|PubMed:19759395, ECO:0000269|PubMed:23762398, ECO:0000269|PubMed:26438602, ECO:0000269|PubMed:9705271}.

Molecular Weight: 85.0 kDa

UniProt: [O60934](#)

Pathways: [DNA Damage Repair](#), [Production of Molecular Mediator of Immune Response](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months