

Datasheet for ABIN7554833

PIK3R2 Protein (AA 1-728) (His tag)



Go to Product page

\sim				
O_1	/ el	rVI	161	Λ

Quantity:	1 mg
Target:	PIK3R2 (PI3K p85b)
Protein Characteristics:	AA 1-728
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PIK3R2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Purpose:	Custom-made recombinat PIK3R2 Protein expressed in mammalien cells.
Sequence:	MAGPEGFQYR ALYPFRRERP EDLELLPGDV LVVSRAALQA LGVAEGGERC PQSVGWMPGL
	NERTRQRGDF PGTYVEFLGP VALARPGPRP RGPRPLPARP RDGAPEPGLT LPDLPEQFSP
	PDVAPPLLVK LVEAIERTGL DSESHYRPEL PAPRTDWSLS DVDQWDTAAL ADGIKSFLLA
	LPAPLVTPEA SAEARRALRE AAGPVGPALE PPTLPLHRAL TLRFLLQHLG RVASRAPALG
	PAVRALGATF GPLLLRAPPP PSSPPPGGAP DGSEPSPDFP ALLVEKLLQE HLEEQEVAPP
	ALPPKPPKAK PASTVLANGG SPPSLQDAEW YWGDISREEV NEKLRDTPDG TFLVRDASSK
	IQGEYTLTLR KGGNNKLIKV FHRDGHYGFS EPLTFCSVVD LINHYRHESL AQYNAKLDTR
	LLYPVSKYQQ DQIVKEDSVE AVGAQLKVYH QQYQDKSREY DQLYEEYTRT SQELQMKRTA
	IEAFNETIKI FEEQGQTQEK CSKEYLERFR REGNEKEMQR ILLNSERLKS RIAEIHESRT
	KLEQQLRAQA SDNREIDKRM NSLKPDLMQL RKIRDQYLVW LTQKGARQKK INEWLGIKNE
	TEDQYALMED EDDLPHHEER TWYVGKINRT QAEEMLSGKR DGTFLIRESS QRGCYACSVV

VDGDTKHCVI YRTATGFGFA EPYNLYGSLK ELVLHYQHAS LVQHNDALTV TLAHPVRAPG
PGPPPAAR Sequence without tag. The proposed Purification-Tag is based on experiences
with the expression system, a different complexity of the protein could make another tag
necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

DIVODO (DIOV SOEP)

Target Details

rarget.	PIN3R2 (PI3N p85D)
Alternative Name:	PIK3R2 (PI3K p85b Products)

Background:

Phosphatidylinositol 3-kinase regulatory subunit beta (PI3-kinase regulatory subunit beta) (PI3K regulatory subunit beta) (PtdIns-3-kinase regulatory subunit beta) (Phosphatidylinositol 3-kinase 85 kDa regulatory subunit beta) (PI3-kinase subunit p85-beta) (PtdIns-3-kinase regulatory subunit p85-beta),FUNCTION: Regulatory subunit of phosphoinositide-3-kinase (PI3K), a kinase that phosphorylates PtdIns(4,5)P2 (Phosphatidylinositol 4,5-bisphosphate) to generate phosphatidylinositol 3,4,5-trisphosphate (PIP3). PIP3 plays a key role by recruiting PH domain-containing proteins to the membrane, including AKT1 and PDPK1, activating signaling cascades involved in cell growth, survival, proliferation, motility and morphology. Binds to activated (phosphorylated) protein-tyrosine kinases, through its SH2 domain, and acts as an

Target Details

	adapter, mediating the association of the p110 catalytic unit to the plasma membrane.
	Indirectly regulates autophagy (PubMed:23604317). Promotes nuclear translocation of XBP1
	isoform 2 in a ER stress- and/or insulin-dependent manner during metabolic overloading in the
	liver and hence plays a role in glucose tolerance improvement (By similarity).
	{ECO:0000250 UniProtKB:008908, ECO:0000269 PubMed:23604317}.
Molecular Weight:	81.5 kDa
UniProt:	000459

Application Details

Application	Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions:

Pathways:

For Research Use only

VEGF Signaling, BCR Signaling

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months