

Datasheet for ABIN7554948

PLK2 Protein (AA 1-685) (His tag)



Overview

Quantity:	1 mg
Target:	PLK2
Protein Characteristics:	AA 1-685
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PLK2 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant PLK2 Protein expressed in mammalian cells.
Sequence:	MELLRTITYQ PAASTKMCEQ ALGKGCGADS KKKRPPQPPE ESQPPQSQAQ VPPAAPHHHH
	HHSHSGPEIS RIIVDPTTGK RYCRGKVLGK GGFAKCYEMT DLTNNKVYAA KIIPHSRVAK
	PHQREKIDKE IELHRILHHK HVVQFYHYFE DKENIYILLE YCSRRSMAHI LKARKVLTEP
	EVRYYLRQIV SGLKYLHEQE ILHRDLKLGN FFINEAMELK VGDFGLAARL EPLEHRRRTI
	CGTPNYLSPE VLNKQGHGCE SDIWALGCVM YTMLLGRPPF ETTNLKETYR CIREARYTMP
	SSLLAPAKHL IASMLSKNPE DRPSLDDIIR HDFFLQGFTP DRLSSSCCHT VPDFHLSSPA
	KNFFKKAAAA LFGGKKDKAR YIDTHNRVSK EDEDIYKLRH DLKKTSITQQ PSKHRTDEEL
	QPPTTTVARS GTPAVENKQQ IGDAIRMIVR GTLGSCSSSS ECLEDSTMGS VADTVARVLR
	GCLENMPEAD CIPKEQLSTS FQWVTKWVDY SNKYGFGYQL SDHTVGVLFN NGAHMSLLPD
	KKTVHYYAEL GQCSVFPATD APEQFISQVT VLKYFSHYME ENLMDGGDLP SVTDIRRPRL
	YLLQWLKSDK ALMMLFNDGT FQVNFYHDHT KIIICSQNEE YLLTYINEDR ISTTFRLTTL
	LMSGCSSELK NRMEYALNML LQRCN Sequence without tag. The proposed Purification-Tag

	is based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC
Grade:	custom-made
Target Details	
Target:	PLK2
Alternative Name:	PLK2 (PLK2 Products)
Background:	Serine/threonine-protein kinase PLK2 (EC 2.7.11.21) (Polo-like kinase 2) (PLK-2) (hPlk2)
	(Serine/threonine-protein kinase SNK) (hSNK) (Serum-inducible kinase),FUNCTION: Tumor
	suppressor serine/threonine-protein kinase involved in synaptic plasticity, centriole duplicatio
	and G1/S phase transition. Polo-like kinases act by binding and phosphorylating proteins that
	are already phosphorylated on a specific motif recognized by the POLO box domains.
	Phosphorylates CENPJ, NPM1, RAPGEF2, RASGRF1, SNCA, SIPA1L1 and SYNGAP1. Plays a
	key role in synaptic plasticity and memory by regulating the Ras and Rap protein signaling:
	required for overactivity-dependent spine remodeling by phosphorylating the Ras activator

RASGRF1 and the Rap inhibitor SIPA1L1 leading to their degradation by the proteasome.

Conversely, phosphorylates the Rap activator RAPGEF2 and the Ras inhibitor SYNGAP1, promoting their activity. Also regulates synaptic plasticity independently of kinase activity, via its interaction with NSF that disrupts the interaction between NSF and the GRIA2 subunit of AMPARs, leading to a rapid rundown of AMPAR-mediated current that occludes long term depression. Required for procentriole formation and centriole duplication by phosphorylating CENPJ and NPM1, respectively. Its induction by p53/TP53 suggests that it may participate in the mitotic checkpoint following stress. {ECO:0000269|PubMed:15242618, ECO:0000269|PubMed:19001868, ECO:0000269|PubMed:20352051, ECO:0000269|PubMed:20531387}.

Molecular Weight:

78.2 kDa

UniProt:

Q9NYY3

Application Details

Application Notes:

We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months